

SIX MONTHLY COMPLIANCE REPORT

(FROM JANUARY-2023 TO JUNE-2023)

FOR NARAINGARH SUGAR MILLS LIMITED, NARAINGARH
(AMBALA) –HARYANA,

Naraingarh Sugar Mills Limited

Village –Banondi .P.O. Shahzadpur, Tehsil-Naraingarh

Distt. Ambala, (Haryana) 134202

Six Monthly Progress Reports for the Period of Six Month
from
July -2023 to December-2023.

PROJECT: - Environmental Clearance for 25 MW Co-Generation Power Plant and Expansion cum Modernization of Existing sugar Mills from 2500 TCD to 5500 TCD capacity with Existing Premises at Naraingarh Sugar Mills Ltd Naraingarh District Ambala Haryana .

ENVIRONMENTAL CLEARANCE:

Ref.No. SEIAA No. SEIAA/HR/2014/1481 dated 21/12/2013 and 01/11/2014.

STATUS OF COMPLIANCE

CONDITIONS:-

SR. No.	POINTS (A) SPECIFIC CONDITIONS.	STATUS OF COMPLIANCE. (REPLY)
01	Efforts shall be made to reduce PM 2.5, PM10 levels in the ambient air and a time bound action plan shall be submitted .As proposed Electrostatic precipitator (ESP) along with stack of adequate height shall be provided to boiler to control particulate emission with in 100mg/NM3 .at no time , the emission level shall go beyond the prescribed standards . In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Efficiency of pollution control devices shall be monitored regularly; Stack monitoring report shall be submitted to the regional office MOEF. .	Under Compliance and ESP level has been monitored the report is enclosed herewith. Report Date 09.01.2024. ESP outlet parameter in Online monitoring system always remains under the CPCB norms throughout the crushing season. A adequate measures like water sprinkling on all roads and unpaved areas being under taken to reduce the PM 2.5 and PM 10 level below ambient air quality Standards Latest Report Stack Emission (Boiler ESP) date of reporting 09.01.2024, copy Attached. (Period of analysis 01.01.2024 to 09.01.2024)

02	The National Ambient Air Quality Standards issued by Ministry vide G.S.R.No. 826 (E) dated 16 th November-2009 shall be followed.	We will follow the National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009. Ambient Air Quality Standards report date 01.01.2024. (Period of analysis 01.01.2024 to 06.01.2024) Copy Enclosed
03	In plant, Control measures for checking fugitive emission from all the vulnerable sources shall be provided, fugitive emission shall be control by providing closed storage, closed handling & conveyance of chemicals/ materials, multi cyclone separator and water sprinkling system shall be Provided at loading areas to control dust emission Fugitive emission in the work Zone environment, production area, raw materials storage area etc. shall be regularly monitored and recodes shall be marinated. The emission shall confirm to the limits prescribed by Haryana State Pollution Control Board (HSPCB)	Under compliance ,same will be point no.01 and Raw materials storage area: Raw material of Sugar industry is Sugar cane which the farmers bring by their tractor trolley and stay in cane yard for 6-8 hours and feed directly to the cane carrier for crushing in the sugar mill. We have not stored to much bagasse however we have two nos closed shed Other Raw material/chemical store as per norms.
04	Pucca approach road to project shall be constructed prior to commencing construction activity of sugar mill so as to avoid fugitive emission.	Complied. Repairs and maintenance is being done.
05	The gaseous emission from DG set shall be dispersed through adequate stack height as per CPCB guideline .Acoustic enclosure shall be Provided to DG sets to mitigate the Noise Pollution.	As per CPCB guidelines, adequate Stack height to all the DG sets. Acoustic enclosure has been provided to mitigate the noise pollution. Noise level report date 09.01.2024. (Period of analysis 01.01.2024 to 09.01.2024) Copy Enclosed. D.G. Set running is negligible.
06	The Company shall upload the status of compliance of the stipulated environmental clearance condition, Including results of monitored data on its website and shall update the same periodically .It shall simultaneously be sent to the respective R.O. of MOEF, CPCB and HSPCB. The level of PM2.5, PM, 10So2, NOX in Ambient Air shall be monitored and displayed at a convenient location near the main Gate of the company and at important Public places.	Same is complied with. The ambient air quality monitoring was Carried out (period of analysis 01.01.2024 to 09.01.2024) and latest report dated 09-01-2024 copy enclosed. Data is displayed near Main gate. (Photo attached) Report is send to the concerned authority.

07	Total fresh water requirement from ground water (Borewell) shall not exceed 970 m ³ /day for this project and prior permission for drawl of water shall be obtained from concerned authorities.	The fresh water requirement is estimated to be 970 m ³ /day which is being met by ground water & recycled water. And we are using our existing bore wells and Recirculation water. Ground water test reports (period of analysis 01.01.2024 to 09.01.2024) and report dated 09-01-2024 copy enclosed
08	Effluent from sugar unit shall be treated in the effluent treatment plant comprising neutralization tank followed by two stage aeration system .ETP treated water should be used for farming /gardening within industry premises. Domestic sewage shall be Transferred into aeration tank for treatment.	Complied with, Same is being Implemented and multimedia filter, carbon filter (tertiary treatment plant) has also provided. STP is provided for domestic sewage. Treated water is being used for farming/gardening. Capacity of equalizing tank increased, new 01 Nos neutralization tank and air diffuser with blower in aeration chamber and equalization tank, sludge drying bed capacity increased. New oil and grease pit constructed and oil skimmer installed etc. ETP operation , Repair & Maintenance cost, 1st July 2023 to 31st December 2023 , Rs. 2,80,000/- (Copy Enclosed)
09	As proposed, no effluent from sugar plant shall be Discharged outside the premises and zero discharge shall be adopted.	Unit is operated on Zero Discharge concept.
10	Process effluent /any waste water shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	Separate storm water drains viaguard pond is available. Roof top Rain water harvesting system is also provided.
11	Adequate number of ground water quality monitoring stations by providing piezometers around the project area should be set up. Sampling and trend analysis monitoring must be made onmonthly a basis and report submitted to SPCB and this ministry. The ground water quality monitoring for pH, BOD, COD, Sulphate and TDS should be monitored ,sampling and trend analysis monitoring must be made on monthly basis and report Submitted to RO Ambala and HSPCB.	Ground water samples from different locations were collected and latest test report (period of analysis 01.01.2024 to 09.01.2024). Copy attached. Piezometers are already installed.
12	Bagasse storage shall be done in such a way that it does not get air born or fly ash around due to wind.	Under compliance, same will be as per point no.01 & point no.03

13	Boiler ash shall be stored separately as per CPCB guideline so that it shall not adversely affect the air quality, becoming air born by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of works to fly ash & dust shall be avoided bagasse ash and coal ash shall be stored separately.	Complied as per CPCB guideline. Bagasse ash is stored separately. No coal is used in our unit. Bagasse ash does not mix with storm drain during rainy season. During the dry season we are sprinkling water regularly on fly ash to avoid flue away it the air.						
14	Till the plant is ready for expansion the project proponent have to ensure for compliance of pollution control norms stipulated in consent to Operate for existing unit.	Complied. * Consent to operate for the year 2023-2024 is valid upto 30.09.2024. Copy enclosed * Hazardous waste authorization for the year 2023-2024 is valid upto 30.09.2024. Copy enclosed						
15	Firefighting system shall be as per norms and cover all areas. Firefighting system Progress report 1st July 2023 to 31st December 2023	Complied, the firefighting line is laid at every station and around the fuel yard with 20 no. hydrant posts mounted on it. 84 no. fire extinguishers are also provided at various stations in Sugar as well as Power plant. Unit has trained firefighting staff headed with fire safety officer. In this period we have spent Rs. 26089 for <table border="1"> <thead> <tr> <th>Item</th> <th>Amount</th> </tr> </thead> <tbody> <tr> <td>Fire pump repairs</td> <td>26089.00</td> </tr> <tr> <td style="text-align: right;">Total</td> <td>26089.00</td> </tr> </tbody> </table> Total amount spent in this period Rs. 26089/-	Item	Amount	Fire pump repairs	26089.00	Total	26089.00
Item	Amount							
Fire pump repairs	26089.00							
Total	26089.00							

List of Safety Equipment purchasing in the period of 01.07.2023 to 31.12.2023

SR NO	PARTICULARS	QTY	RATE	AMOUNT
1	SAFETY GOGGLES	24	45	1080
2	SAFETY GOGGLES	30	60	1800
3	GUM BOOT	12	150	1800
4	RAIN SUIT	-	-	-
5	COTTON GLOVES	-	-	-

Note: Every month, internal training of fire safety and health is given to all our workers and we have put up banners related to fire safety and health at different places. Photo Enclosed.

16	Risk Assessment shall be carried out to assess the Fire and explosion risk.	Complied. All arrangements like fire safety equipment's have been done at all sensitive stations in the plant. Mock drill is conducted once in a three Month. Some Photograph Attached. Refilling of fire extinguish is done as per schedule.
17	Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational center shall be strengthened and the regular medical test records of each employee shall be maintained separately.	Occupational health surveillance programme is being taken as a regular exercise for all the employees and their records will be maintained.
18	Dedicated parking facility for loading and unloading of materials shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.	Same is being Complied with all parking facility for loading and unloading of material, we have developed and implemented good traffic management system. There is no any congestion on the public road.
19	Green belt shall be developed in 33% of plot area to mitigate the effects of fugitive emission all around the plant as per CPCB guideline in consultation with the local DFO. Thick greenbelt with suitable plant species shall be developed around the Proposed distillery to mitigate the odor problem.	Complied. We have already developed a green belt 35% of the total land area with 2560 no of trees of 30 spices. Parks are well maintained. Copy Enclosed for green belt development.
20	All the commitments made during the public hearing /Public consultation meeting held on 10 th April, 2013 shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	Same is complied with. Efforts are being made for satisfactory implementation.
21	Provision shall be made for the housing for construction labour within the site with all infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Same is complied with. Housing with adequate facilities has been provided for all employees accommodated in factory premises. As the unit is in running, there is no any construction Labour.
22	Only bagasse /Biomass should be used as fuel. Not to use wood logs, coal as fuel and no other fuels Should be used.	Same is complied with. Only bagasse is being used as fuel.

23	No ground water shall be drawn for the power plant at any stage. Treated waste water shall be used for sugar cane seed farm/green belt development. There should be no waste water discharge from the plant.	Same is complied with. HSPCB and CPCB guideline are being followed in this regards. Treated waste water discharged from the plant is being used for green belt and agriculture farm.
24	The infrastructure of transport road linking to the nearest main road shall be improved and maintained by proponent.	Same is complied with. Our factory is adjacent to NH 72 (7) and very much near to Hospital, Market and other facilities.



Handwritten signature or initials.

Handwritten signature or initials.


B.	GENERAL CONDITION	
1	The project authorities shall strictly adhere to the Stipulations made by the HSPCB.	Noted and being complied with. We are committed to follow and implement the guidelines of HSPCB and CPCB.
2	No Further expansion or modification in the plant shall be carried out without prior approval of SEIAA/MOEF. In case of deviation or alteration in the project proposed from those submitted to this ministry for clearance, it fresh reference shall be made to ministry to assess the adequacy of condition imposed and to add additional Environment protection measures required, if any.	No further expansion or modifications in the plant will be done carried out without prior approval from SEIAA and /MOEF (The Ministry of Environment and Forests Govt. Of India) ETP up-gradation has been done and new equipment installed.
3	The Locations of Ambient air quality monitoring station shall be decided in consultation with HSPCB and it shall be ensured that at least one station is installed in the up wind and downwind direction as well as where maximum ground level Concentrations are anticipated.	Same IS complied with. AAQM latest report is enclosed. (Period of analysis 01.01.2024 to 09.01.2024). Copy attached.
4	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measure including acoustic hoods ,silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under Environment (Protection) Act-1986.(75 b DA (day time) and 70 dBA(Night) .	The Same is complied. Following Measures are being adopted: 1.0 Acoustic enclosure for Turbine& D.G. sets is used. 2.0 Green belt development (plantation of dense trees across the boundary) will help in reducing noise levels in the plant as a result of attenuation of noise generated due to plant operations, and Transportation. The noise level monitoring is done and (Period of analysis 01.01.2024 to 09.01.2024). Copy attached. D.G. Set running is negligible.
5	The Company shall harvest rainwater from the roof-tops of the building and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water	Rainwater harvesting system is installed and water is being utilized to recharge the underground water source through scientifically designed rain water harvesting system. Proposal for surface rain water harvesting is being made for agriculture purpose. It may be implemented in off season. Manager Civil

6	The company shall obtain authorization for collection, storage and disposal of hazardous waste under hazardous waste rules, 2008 and its amendment time to time and prior permission from SPCB shall be obtained for disposal of solid /hazardous waste including boiler ash.	Complied with. Copy of authorization for collection, storage and disposal of Hazardous waste is valid upto 30.09.2024.
7	During transfer of materials, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic Waste water and storm water drain.	Is being implemented. Unit is running on "Zero Effluent Discharge. There is a separate storm water drain.
8	Usage of personnel protection equipment's by all Employees /workers shall be ensured.	Personnel Protection equipment's safety helmet, safety shoes, safety goggles, hand gloves and nose masks are provided to all employees/ workers by the company. Uniform is also provided to the company workers, expenses on procurement on the same for the period 1 st July 2023 to 31 st December 2023 are enclosed herewith.
9	Training shall be imparted to all employees on safety and health aspects of chemical handling; pre-employment and routine periodical medical examination of all employees shall be undertaken on regular basis. Training to all employees on Handling of chemicals shall be imparted.	Yes, we comply with as per norms; on duty training is being given to the employees. Mock drill also conducted for fire safety at least within three month.
10	The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to ministry. All the recommendations made in the EIA/EMP in respect of environment management, risk mitigation and public hearing relating to the Project shall be implemented.	We ensured that safeguard proposed is adopted.
11	Corporate Environment and social responsibility (CSER) shall be laid down by the project proponent (2% shall be earmarked) as per guideline of MOEF, GOI office memorandum no. J-11013/14/41/2006-IA.II (I) dated 18.05.2012 and Ministry Corporate Affairs, GOI, Notification dated 27/02/2014. A separate audit statement shall be submitted of the in the compliance. Environment related work proposed to be executed under this responsibility shall be undertaken simultaneously. The Project proponent shall select and prepare the list of the work for implementation of CSER of its own choice and shall submit the same before the start of Construction.	The financial condition of our unit is very poor, payment of sugar cane to the cane growers is pending, therefore at present we are unable to take CSR activities & development in the area.
12	The company shall undertake eco-development measures including community welfare measures in the project area for the overall improvement of the Environment.	Agreed and comply with the same.

13	A separate environment management cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and monitoring functions.	A separate Environmental Management Cell equipped with full-fledged laboratory Facilities have been set up.
14	As proposed the company shall earmark Rs. 15 Crores and Rs. 1.00 Crores toward capital cost and recurring cost per annum to implement the conditions stipulated by the SEIAA/MOEF and SPCB. The funds so earmarked for environment management /pollution control measures shall not be diverted for any other purpose.	As proposed fund invested.
15	A copy of the clearance letter shall be sent by the project proponent to concerned panchayat Zila Parisad /Municipal Corporation .unban local body and the local NGO. If any from suggestions/representations, if any were received while Processing the proposal.	Complied with. Same has beensent to the authorities as required
16	The Project proponent shall also submit six monthly reports on the status of compliance of the stipulated environmental clearance including results of monitored data (both in hard copies as well as by email) to SEIAA Haryana and zonal officer of CPCB and HSPCB. a copy of environmental clearance and six monthly compliance status report Shall be posted on the website of the company.	Our Website Link website. www.naraingarhsugar.com
17	The environmental statement for each financial year ending 31 st march in form-V as is mandated shall be submitted to HSPCB, shall also put on website of the company along with the status of compliance of environmental clearance and shall also to the Chandigarh office of moef by email.	Environmental statement for each financial year ending 31 st March 2023 in Form V/environmental audit report is prepared and submitted to HSPCB every year.
18	The project proponent shall inform the public that the project has been accorded environment clearance by Ministry and copies of clearance letter are available with the SPCB /committee and may also see at website of SEIAA. This shall be advertised within seven days from the that date of issue of the clearance letter at one least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of locality concerned and a copy of the same shall be in forwarded to the concerned regional office of the ministry.	Complied.

19	The project authorities shall inform the regional office as well the ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the Project.	Complied with.
20	The SEIAA may revoke or suspend the clearance, if implementation of any of the above condition is not Satisfactory.	Agreed.
21	The SEIAA reserves the right to stipulate additional condition ,if found necessary .The company in a time bound manner will implement these condition s.	Agreed.
22	The above conditions will be enforced ,inter-alia under the provision of water (Prevention & control of pollution) act,1974 , Air (Prevention & Control of Pollution) Act,1981,the Environment (Protection Act,1986 , Hazardous waste (Management ,Handling and Trans boundary) rules,2008 and the public liability insurance Act, 1991, along with their amendment and rules.	Complied.

FOR NARAINGARH SUGAR MILLS LIMITED



(Unit Head)





Enclosed: As above

1.	Copy of NOC for drawl of ground water and copy of fire NOC. (Sp. Condi. -1,2,6,7,15&16 and Gen. condi. -iii)	Copy of NOC for drawl of ground water : Application for the Ground water NOC is approved by Haryana Water Resources Authority
2.	<p>PP has not submitted the fugitive emission monitoring data of work Zone environment.</p> <p>Production area and raw materials storage area etc. (Sp. Condi. -3)</p>	<p>Fugitive emission monitoring data : Test Report Enclosed</p> <p>Spraying water after a particular interval.</p> <p>Covering of MS sheets to isolate specific areas.</p> <p>Daily spraying of water on unpaved area and roads to avoid fugitive dust to reduce the PM 2.5 and PM 10 levels below ambient air quality standards.</p> <p>We have installed ESP to control the Fugitive emission monitoring.</p> <p>Raw materials storage area: Raw material of Sugar industry is Sugar cane which the farmers bring by their tractor trolley and stay in cane yard for 6-8 hours and feed directly to the cane carrier for crushing in the sugar mill.</p> <p>Other Raw material/chemical store as per norms.</p> <p>Production Area , Cane Yard & Bagasse Yard Drawing enclosed</p>

NARAINGARH SUGAR MILLS LTD

SITE PLAN SHOWING THE CANE YARD & BAGASSE YARD



DRN	DATE	SIGN	NARAINGARH SUGAR MILLS LTD NARAINGARH
CHD			TITLE:- SITE PLAN SHOWING THE CANE YARD & BAGASSE YARD
APPD			DRG. NO. :-
ALL DIMENSION ARE IN METER			CE / NSML / MH / - 300
SCALE:- #			

Production area and raw materials storage area etc. (Sp. Condi. -3)

3.	PP has not provided link of company website where copy of EC, environmental statement & six monthly compliance reports uploaded for public awareness and also not submitted compliance status of EC condition after Dec-2016. (Sp. Conoi. -6 and Gen. condi. -xiii, xvi & xvii)	Link of company website : http://www.naraingarhsugarmillsltd.com/ Six monthly compliance reports: web site link available in our website.
4.	PP has not submitted latest ground water quality monitoring data and also not provided closed storage facility of bagasse at project site. (Sp. Condi. -11 & 1	(4a).Latest ground water quality monitoring data :- Copy Enclosed (4b) Closed storage facility of bagasse: We have two nos of sheds to store bagasse.
5.	PP has not submitted the records of health surveillance program conducted for the employees. Noise quality monitoring data and first aid facility at project site. (Sp. Condi. -17 and Gen. condi. -iv)	We organize health monitoring programs for the employees every three months and we have maintain a first aid centre in which free medicine is given to the patients every day after check-up. Some photograph enclosed.
6.	RWH Pit was observed with full' of algae & uncleaned and also not submitted utilization details of fund allotted for maintenance of RWH pit. (Gen. Condi. -v)	6a. RWH Pit is being got cleaned regularly and filter media (Aggregate & sand) is replaced every year by the Mills daily wages workers. Covering with wire mesh is also done now.
7.	PP has not provided separate storage HW, copy of authorization from HSPCB, not provided collection & segregation facility of the household waste generating at project premises and also observed dumped at open site. (Gen. condi.-vi & xxii)	Separate storage HW, copy of authorization from HSPCB : Copy Enclosed (7a) and authorization shall be valid for a period of 19/04/2023 to 30/09/2024. Proposal for Collection & segregation facility of the household waste generating at project premises: house hold waste generating storage shed is constructed.
8.	PP has not submitted the records or the training organized for employees regarding health & safety aspects and handling of chemicals. (Gen. condi.-ix)	Records or the training organized for employees regarding health & safety aspects and handling of chemicals. We are providing on the job training for the employees We will take all precaution measures to handle and storing the chemical including the training of personal.
9.	PP has not provided the details of the fund utilized under CSER activities. Separate audit statement of CSER activities and list of the work selected for the implementation under CSER. (Gen. condi.-xi)	9. This Sugar plant is in huge loss for last 3-4 years. This industry run in interest of farmers
10.	PP has not submitted details of environment management cell and details of fund utilized for environment management/pollution control measures form earmarked fund. (Gen. condi.-xiii & xiv)	10a. Environment management cell : Copy Enclosed 10b. Details of fund utilized : Copy Enclosed

Annexure-I
Detailed Ambient Air Quality Monitoring Results (24-hourly Average)
Period of Analysis (01.01.2024 to 06.01.2024)

S. No.	Date DD/MM/YY	L. No. Code	Location	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM _{2.5} ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO ₂ ($\mu\text{g}/\text{m}^3$)	CO (mg/m^3)
1.	29/12/2023	AQ1	At Project Site (Near Main Gate Side Area)	82.6	43.7	18.4	20.30	0.58
2.	29/12/2023	AQ2	Near Power Cogen Plant Area	81.60	29.4	16.8	19.36	0.48
3.	29/12/2023	AQ3	Near Colony Side	81.60	39.50	16.8	19.6	0.43

- **Report copy enclosed.**

No. of Plants Planted in Naraingarh Sugar Mill Complex:

Sr. No.	Name of species of plants	No. of Plants	Remarks
1.	Alstonia	20	
2.	Amaltas	10	
3.	Ashoka	140	
4.	Arocaria	04	
5.	Amla	14	
6.	Bottle Palm	130	
7.	Bottle Brush	190	
8.	Bamboo	10	
9.	Bel	15	
10.	Bahera	15	
11.	Bargad	02	
12.	Casia pink	03	
13.	Casia Guluka	05	
14.	Chiku	20	
15.	Casurina	17	
16.	Chakotra	02	
17.	Dates	03	
18.	Dek	20	
19.	Cheed	02	
20.	Eucaliptus	610	
21.	Ficus	150	
	Guava	51	
22.			
23.	Gulachin	14	
24.	Gulmohar	03	
25.	Jakranda	05	
26.	Jamun	20	

27	China Palm	16	
28	Ricca Palm	15	
29	Copper Bottle Brush	23	
30	Golden Bottle Brush	10	
31	Silver Oak	52	
32	kachnar	88	
33	Kanakchampa	150	
34	Kikker (Babool)	01	
35	Popular	11	
36	Teak	13	
37	Neem	21	
38	Saroo	01	
39	Lagistromia	15	
40	Rukmani	40	
41	Sheesham	22	
42	Sahtoot	65	
43	Pipal	22	
44	Leechi	60	
45	Peech	08	
46	Pear	30	
47	Mango	98	
48	Kaner	250	
49	Sadabahar	38	
50	Katahal	07	
51	Kinno	09	
52	Siras	02	
53	Lernon	11	
54	Parijat	02	
55	Shammi	01	2560

In this period we planted some trees details mentioned below:-

- 1. Eucalyptus 4000 No.**
 - 2. Barged 5 Nos**
 - 3. Papal 5 Nos**
 - 4. Neem 5 Nos**
- Total Nos of Tree = 6575 Nos**

Expenses details

Description	Period	Amount	Remarks
Expenses on procurement on medicine & Medical Services expenses	1st July 2023 to 31 st December 2023	Rs. 3,90,341.00	Copy Enclosed
Expenses on procurement of Uniform to the company workers,	1st July 2023 to 31 st December 2023	Rs. 3,33,123.00	Copy Enclosed
We have installed RO in many places in our factory for safe drinking water to our employees. Their repairing and maintenance cost of these.	1 st July 2023 to 31 st December 2023	Rs. 11869.00	Copy Enclosed



Idma Laboratories Limited



TC-8207

TEST REPORT

Lab No.	010124L-ED-034/A		Page No. 1/2	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 06/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Main Gate Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	06/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m ³	81.5	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m ³	38.7	Max. 60	IDL/SP/03, Issue No-1
3	SO ₂	µg/m ³	19.4	Max. 80	IS 5182 (Part 2)
4	NO ₂	µg/m ³	22.6	Max. 80	IS 5182 (Part 6)
5	NH ₃	µg/m ³	28.7	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m ³	21.3	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m ³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m ³	<8	Max. 20	EPA/625/R-96/010a



Authorised Signatory



Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010124L-ED-034/A			Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m ³	0.12	Max. 1.0	EPA/625/R-96/010a

Represents details provided by the customer.

End of Report

Dipti Jain
Reviewed by
Dipti Jain
Asst. Tech. Manager
Panchkula

12/06/24
Authorised signatory
Kartar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-034/B			Page No.	1/1
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana				
Type of Sample#	Ambient Air				
Customer's Description of Sample#	Ambient Air				
Quantity#	1 No				
Packing, Markings#	Filter Paper Packed in Polythene Pouch				
Mode of Collection of Sample	Sampling by Laboratories				
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023		
Date of Receipt of Sample	01/01/2024				
Period of Analysis	01/01/2024 To 06/01/2024				
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji		
Sampling Location#	Main Gate Area				
Visual Observation	N/A				
Date of Sampling	29/12/2023				
Date of Reporting	06/01/2024				
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013				
Testing Protocol	NAAQS				

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.52	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.01	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report

Reviewed by
Dipti Jain
Asst. Tech. Manager
06/01/24

Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tei No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.	010124L-ED-035/A		Page No. 1/2	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 06/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Factory Side Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	06/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m ³	82.6	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m ³	41.5	Max. 60	IDL/SP/03, Issue No-1
3	SO2	µg/m ³	20.3	Max. 80	IS 5182 (Part 2)
4	NO2	µg/m ³	21.7	Max. 80	IS 5182 (Part 6)
5	NH3	µg/m ³	24.6	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m ³	23.5	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m ³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m ³	<8	Max. 20	EPA/625/R-96/010a

Reviewed by
[Signature]
06/01/24
Dipti Jain
Asst. Tech. Manager
Idma Laboratories Limited
Panchkula

06/01/24
Authorized signatory
[Signature]

Idma Laboratories Limited
Panchkula
Kartar Singh
Tech. Manager

Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010124L-ED-035/A				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
9	Lead	µg/m ³	0.13	Max. 1.0	EPA/625/R-96/010a	

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tei No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Fmail : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-035/B		Page No. 1/1
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana		
Type of Sample#	Ambient Air		
Customer's Description of Sample#	Ambient Air		
Quantity#	1 No		
Packing, Markings#	Filter Paper Packed in Polythene Pouch		
Mode of Collection of Sample	Sampling by Laboratories		
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023
Date of Receipt of Sample	01/01/2024		
Period of Analysis	01/01/2024 To 06/01/2024		
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji
Sampling Location#	Factory Side Area		
Visual Observation	N/A		
Date of Sampling	29/12/2023		
Date of Reporting	06/01/2024		
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013		
Testing Protocol	NAAQS		

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.58	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.24	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report

Reviewed by
Dipti Jain
Asst. Tech. Manager
Panchkula

Authorised signatory

Kadar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,

391, Industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.	010124L-ED-036/A		Page No.	1/2
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 06/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Power Co-gen Side Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	06/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m ³	82.6	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m ³	43.7	Max. 60	IDL/SP/03, Issue No-1
3	SO ₂	µg/m ³	18.4	Max. 80	IS 5182 (Part 2)
4	NO ₂	µg/m ³	20.3	Max. 80	IS 5182 (Part 6)
5	NH ₃	µg/m ³	22.7	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m ³	21.4	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m ³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m ³	<8	Max. 20	EPA/625/R-96/010a



Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010124L-ED-036/A			Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m ³	0.12	Max. 1.0	EPA/625/R-96/010a

Represents details provided by the customer.

End of Report

Reviewed by
[Signature] 06/01/24
Dipti
Asst. Tech. Manager
Panchkula

120 06/01/24
Authorised signatory
Kantar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,
391, Industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)
Tel No. 0172 - 5064827, - 5064830
Website : www.idmagroup.co.in
Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-036/B		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 06/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Power Co-gen Side Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	06/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.48	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.23	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tei No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.	010124L-ED-037/A		Page No. 1/2	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Colony Side Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION)	-	-	-	-
1	PM 10	µg/m ³	81.6	Max. 100	IS 5182 (Part 23)
2	PM2.5	µg/m ³	39.5	Max. 60	IDL/SP/03, Issue No-1
3	SO ₂	µg/m ³	16.8	Max. 80	IS 5182 (Part 2)
4	NO ₂	µg/m ³	19.6	Max. 80	IS 5182 (Part 6)
5	NH ₃	µg/m ³	22.7	Max. 400	IS 11255 (Part 6)
6	Ozone	µg/m ³	23.8	Max. 100	IS 5182 (Part 9)
7	Arsenic	ng/m ³	<1	Max. 06	EPA/625/R-96/010a
8	Nickel	ng/m ³	<8	Max. 20	EPA/625/R-96/010a

Reviewed by
Dipti Jain
Asst. Tech. Manager
01/01/24

Authorised signatory
Kartar Singh
Tech. Mgr.
09/01/24

Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.		010124L-ED-037/A			Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method
9	Lead	µg/m ³	0.16	Max. 1.0	EPA/625/R-96/010a

Represents details provided by the customer.

End of Report

Reviewed by
[Signature] 09/07/24
Dipti Jain
Asst. Tech. Manager
Panchkula

[Signature] 09/07/24
Authorised signatory
Kartar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-037/B		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Ambient Air			
Customer's Description of Sample#	Ambient Air			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Colony Side Area			
Visual Observation	N/A			
Date of Sampling	29/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	NAAQMS/36/2012-13 USEPA:2013			
Testing Protocol	NAAQS			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
1	CO	mg/m ³	0.43	Max. 02	IS 5182 (Part 10)
2	Benzene	µg/m ³	2.11	Max. 05	IS 5182 (Part 11)
3	Benzo-a-Pyrene(BaP) - Particulate phase	ng/m ³	<0.9	Max. 01	IS 5182 (Part 12)

Represents details provided by the customer.

End of Report

[Signature]
09/01/24
Reviewed by
Dipti Jain
Asst. Tech. Manager
Panchkula

[Signature]
09/01/24
Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited



TEST REPORT

Lab No.	010124L-ED-038		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Noise Level			
Customer's Description of Sample#	Noise Level			
Quantity#	1 No			
Packing, Markings#	Instrument at Site			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	In the plant			
Visual Observation	N/A			
Date of Sampling	30/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	CPCB PROTOCOL:2015			
Testing Protocol	OSHA			

RESULTS

S.No.	Test Parameter	Units	Results	Limits	Test Method
	CHEMICAL DISCIPLINE (Noise Levels)	-	-	-	-
1	Leq	dB(A)	68.7	Max. 90	CPCB PROTOCOL July 2015.

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrpancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



TEST REPORT

Lab No.	010124L-ED-039		Page No. 1/2	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Stack Emission (Boiler)			
Customer's Description of Sample#	Stack Emission (Boiler)			
Quantity#	1 No			
Packing, Markings#	Thimble Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	EST Boiler Outlet (130 Ton)			
Visual Observation	N/A			
Date of Sampling	30/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	LATS/80/2013-14 USEPA:2013			
Testing Protocol	CPCB			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (ATMOSPHERIC POLLUTION):	-	-	-	
	STACK MONITORING -GENERAL INFORMATIONS:	-	-	-	
1	Stack Height	Meters	65	-	-
2	Stack Diameter	Meters	2	-	-
3	Ambient Temperature	°C	13	-	-
4	Stack Temperature	°C	157	-	-
5	Velocity	m/s	8.3	-	-
6	Type of Fuel	-	Sugarcane	-	-

Reviewed by
[Signature]
09/01/24
Dipti Jain
Asst. Tech. Manager
Idma Laboratories Ltd.
Panchkula

[Signature]
09/01/24
Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



TEST REPORT

Lab No.		010124L-ED-039				Page No. 2/2
S.No.	Test Parameter	Units	Results	Specifications	Test Method	
6			Bagasse			
7	Sampling Flow rate	LPM	23	-	-	
8	Sampling Time	Minutes	32	-	-	
9	Volumetric Flow rate	Nm ³ /hr	63383.1	-	-	
	PARAMETERS:	-	-	-	-	
10	PM	mg /Nm ³	96.4	Max 250	IS:11255(Part -1)	
11	NOx	mg /Nm ³	48.6	-	IS: 11255(Part -7)	
12	SO2	mg /Nm ³	61.8	-	IS: 11255(Part -2)	

Represents details provided by the customer.

End of Report



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-040		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Work Zone			
Customer's Description of Sample#	Work Zone			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Production Area			
Visual Observation	N/A			
Date of Sampling	30/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	ILL/SOP/ENV/WZ/01:2020			
Testing Protocol	OSHA			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Work Zone)	-	-	-	
1	Sulphur Dioxide (SO ₂)	mg/m ³	0.019	Max 13	NIOSH METHOD: 6004
2	Nitrogen Dioxide (NO ₂)	mg/m ³	0.024	Max 09	NIOSH METHOD: 6014
3	SPM (as Total Dust)	mg/m ³	0.162	Max 15	NIOSH METHOD: 0500

Represents details provided by the customer.

****End of Report****

Reviewed by



Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,
391, industrial Area, Phase - 1,
Panchkula - 134113,
Haryana (India)

Tel No. 0172 - 5064827, - 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-041		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Work Zone			
Customer's Description of Sample#	Work Zone			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Raw Material Storage Area			
Visual Observation	N/A			
Date of Sampling	30/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	ILL/SOP/ENV/WZ/01:2020			
Testing Protocol	OSHA			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Work Zone)	-	-	-	
1	Sulphur Dioxide (SO ₂)	mg/m ³	0.021	Max 13	NIOSH METHOD: 6004
2	Nitrogen Dioxide (NO ₂)	mg/m ³	0.028	Max 09	NIOSH METHOD: 6014
3	SPM (as Total Dust)	mg/m ³	0.176	Max 15	NIOSH METHOD: 0500

Represents details provided by the customer.

End of Report



Authorised signatory



Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



Idma Laboratories Limited

TEST REPORT

Lab No.	010124L-ED-042		Page No. 1/1	
Customer#	Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh Naraingarh Distt. Ambala -134202 (Haryana) Haryana			
Type of Sample#	Work Zone			
Customer's Description of Sample#	Work Zone			
Quantity#	1 No			
Packing, Markings#	Filter Paper Packed in Polythene Pouch			
Mode of Collection of Sample	Sampling by Laboratories			
Work Order No.#	NSML/2023-24/97	Dated	27/12/2023	
Date of Receipt of Sample	01/01/2024			
Period of Analysis	01/01/2024 To 09/01/2024			
Sampling Team	Idma Representative Team	Client	Mr Jasbir Ji	
Sampling Location#	Work Zone Environment			
Visual Observation	N/A			
Date of Sampling	30/12/2023			
Date of Reporting	09/01/2024			
Sampling Protocol	ILL/SOP/ENV/WZ/01:2020			
Testing Protocol	OSHA			

RESULTS

S.No.	Test Parameter	Units	Results	Specifications	Test Method
	CHEMICAL TESTING (Work Zone)	-	-	-	-
1	Sulphur Dioxide (SO ₂)	mg/m ³	0.018	Max 13	NIOSH METHOD: 6004
2	Nitrogen Dioxide (NO ₂)	mg/m ³	0.027	Max 09	NIOSH METHOD: 6014
3	SPM (as Total Dust)	mg/m ³	0.183	Max 15	NIOSH METHOD: 0500

Represents details provided by the customer.

****End of Report****

Reviewed by
Dipti Jain
Asst. Tech. Manager
Panchkula

Authorised signatory
Kartar Singh
Tech. Mgr.
Panchkula

Idma Laboratories Limited

Idma Corporate Park,

391, industrial Area, Phase - 1,

Panchkula - 134113,

Haryana (India)

Tel No. 0172 - 5064827,- 5064830

Website : www.idmagroup.co.in

Email : commercial@idmalab.co.in

Disclaimer :

- The Test Report is only for the sample tested.
- Samples not drawn by us unless otherwise stated.
- Total liability of Idma Laboratories Limited is limited to the invoiced amount.
- If sample(s) not consumed, they will be stored & retained as per Company Policy / quality System Procedure.
- The Test Report shall not be reproduced except in full without the written approval of the laboratory.
- The Test Report is intended only for guidance & not for legal purpose or for advertisement.
- The Test Report in full or parts shall not be used for promotional or publicity purpose.
- Legal disputes are subjected to Panchkula Jurisdiction only.
- Any complaint/discipancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of Idma Laboratories Limited shall prevail.
- In case of any feedback/complaints, please send email at testing@idmagroup.co.in or call at 0172 - 5064827 / 5064830



ENVI ECOTECH SERVICES PVT. LTD.

(Formerly Ecotech Services INC- Since 2008)

(Analytical Laboratory Division)

ISO/IEC - 17025 : 2017 Accredited Testing Laboratory
by NABL Vide Certificate Number TC - 5951.

Plot No. 99, Gall No. 04, Navlu Colony, Railway Station Road,
Ballabgarh -121004, Faridabad (Haryana)
Phone No.:+91-129-4630926, M.: 9650160159, 9911378912
E-mail : ecotbd@yahoo.com, info@ecotechservices.in
Website : www.ecotechservices.in
MSME No. : UDYAM-HR-03-0076916
CIN NO : U71200HR2023PTC116170



NABL
Certificate No TC-5951
Format No. ESI/NABL/TR/35

TEST REPORT

Test Report Issued To:-		ULR Number	TC-5951-240000013
M/s Naraingarh Sugar Mills Limited P.O. Shahzadpur , Teh-Naraingarh Distt. Ambala -134202 Haryana.		Date of Report	04/01/2024
		Work Order No.	ESI/23-24/01
		Period of testing	01/01/2024 to 04/01/2024
		Type of Sample	ETP Outlet water sample.
		Date of Receiving	01/01/2024
		Customer Ref.	ESI/23-24/01
Description of Sample.	One "Treated Effluent Water" sample was received by us on 01/01/2024, Marked as "ETP -Outlet Water - Naraingarh Sugar Mills Limited".		
Sample Delivered By.	M/s Anil Contractor.		

Test Results.

Sr. No.	Test Parameters	Unit	Test Results	Specification, standard (method) or technique used.	Discharge Limits as Per EPA-1986 / CPCB / HSPCB
1	pH value @ 25 Deg. C	-	7.58	IS:3025(P-11)	5.5-9.0
2	TSS	mg/l	11	IS:3025 (Part-17)	100
3	COD	mg/l	162	IS:3025 (Part-58)	250
4	BOD for 3 Days at 27 Deg.C	mg/l	18	IS:3025 (Part-44)	30
5	Oil & Grease	mg/l	BDL<4.0	IS:3025 (Part-39)	10

Conditions:-

- ✓ The above mentioned results relates to the tests specified by the customer for the given sample.
- ✓ The test report shall not be reproduced except in full, without the written approval of the Laboratory.
- ✓ This report is not valid for any publicity/ legal purpose.
- ✓ The test sample will be disposed off after two weeks from the date of issue of report.

----End of report----


Reviewed by:


Authorised Signatory)
Mr. R. Chauhan
(General Manager - Q & T.)



ECOTECH SERVICES INC... (Analytical Laboratory Division)

ISO/IEC - 17025 : 2017 Accredited Testing Laboratory
by NABL Vide Certificate Number TC - 5951.

Plot No. 99, Gali No. 04, Navlu Colony, Railway Station Road,
Ballabgarh -121004, Faridabad (Haryana)
Phone No.:+91-129-4630926, M.: 9650160159, 9911378912

E-mail : ecotbd@yahoo.com, info@ecotechservices.in

Website : www.ecotechservices.in

MSME No. : UDYAM-HR-03-0021507



NABL
Certificate No TC-5951
Format No. ES/NABL/TR/35

TEST REPORT

Test Report Issued To:-		ULR Number	TC-5951-23000008774
M/s Naraingarh Sugar Mills Limited P.O. Shahzadpur, Teh-Naraingarh Distt. Ambala -134202 Haryana.		Date of Report	22/12/2023
		Work Order No.	ESI/23-24/0821
		Period of testing	19/12/2023 to 22/12/2023
		Type of Sample	ETP Outlet water sample.
		Date of Receiving	19/12/2023
		Customer Ref.	ESI/23-24/0821
Description of Sample.	One "Treated Effluent Water" sample was received by us on 19/12/2023, Marked as "ETP -Outlet Water - Naraingarh Sugar Mills Limited".		
Sample Delivered By.	M/s Anil Contractor.		

Test Results.

Sr. No.	Test Parameters	Unit	Test Results	Specification, standard (method) or technique used.	Discharge Limits as Per EPA-1986 / CPCB / HSPCB
1	pH value @ 25 Deg. C	-	7.52	IS:3025(P-11)	5.5-9.0
2	TSS	mg/l	10	IS:3025 (Part-17)	100
3	COD	mg/l	160	IS:3025 (Part-58)	250
4	BOD for 3 Days at 27 Deg.C	mg/l	20	IS:3025 (Part-44)	30
5	Oil & Grease	mg/l	BDL<4.0	IS:3025 (Part-39)	10

Conditions:-

- ✓ The above mentioned results relates to the tests specified by the customer for the given sample.
- ✓ The test report shall not be reproduced except in full, without the written approval of the Laboratory.
- ✓ This report is not valid for any publicity/ legal purpose.
- ✓ The test sample will be disposed off after two weeks from the date of issue of report.


---End of report---

Mohand me

Reviewed by:

(Authorised Signatory)
Mr. R. Chauhan
(General Manager - Q & T.)

ENVIRONMENT MANAGEMENT CELL





Naraingarh Sugar Mills Limited

Shahzadpur, Tehsil Naraingarh, Distt-Ambala (Haryana)

Safety & Health Policy

Naraingarh Sugar Mills Limited considers Human Resources in this Industry above all Resources. Safety & Health protection are fundamental concern. "Human Resources", quality wise is an asset whose valuation can not be quantified. Economic consideration will not take priority over implementation of Safety & Health protection measures.

Safety, Health & Environmental aspects are the integral part of the plant operation and production of quality sugar and other derivatives.

Management Philosophy:-

- * All acts of Management and it's staff at all steps to be focused on environment protection.
- * Safety and health of all employees working in the organization.
- * Training of all employees on safe work practices.
- * Bring all employees with active involvement of safety practices in to a safe working circle for efficient working and quality product.
- * Conserve natural resources like water, air, energy and raw material for a better future.
- * Ensure compliance with applicable safety norms, legal and statutory obligations for safe working atmosphere.

Manager and officer is responsible for :-

- * Environment protection and safe working conditions.
- * Safety and health of workmen, safe operations of machinery and equipments.
- * Initiating corrective measures for eliminating or minimizing risk from hazards at work place to achieve zero accident level.
- * Knowing and ensuring compliance with legal requirement within framed rules to prevent the risk of damage of life, plant and equipments.

Employees Commitments

- * Observe Safety rules, procedures & code of practice at work place / in his job.
- * Use all Safety equipment / devices / personal protective equipments provided for safety, health & environment protection.
- Report to officers / engineers / chemist on duty regarding hazardous & unsafe conditions.
- * Promotion of safety of self and fellow workers.



[Handwritten Signature]
Executive Director

Naraingarh Sugar Mill Limited Environment & Safety Committee

Objective of Committee:

1. Assisting and co-operating with the Management in Maintaining health & safety environment
2. Dealing with all matters concerning Health, Safety & Environment, arrive to practical solution of the problems and resolve the issues.
3. Creating Safety awareness among the employees
4. Understanding educational training & promotional activities
5. Deliberating on Safety, Health & Environmental Surveys, Emergency plan, Safety audit, Risk assessment & subsequent implementation of the recommendations.
6. Looking into any complaint made on the likelihood the imminent danger to health and safety of the employees and suggests measures.
7. Look into any grievance raised in regard to the Health, Safety and Environment issues.
8. Review the implementation of recommendations made earlier.

Statue: ---

As per the requirement under Haryana Govt. the Environment and Safety committee has been formed to monitor and implement the effectiveness of the committee. The main role of the committee is to maintain the Safety and Environment policy of Naraingarh Sugar Mill and formulate further plan of action for the implementation efficient safety measure for zero accidents.



Constitution of Environment and Safety committee: -

1. The committee shall be headed by Sh. V.K. Singh (Unit Hand) of the Company, who can contribute effectively to the functioning of the committee such as he will be the chairperson of the committee.
2. The committee shall have representatives from each department.
3. The minutes of the meetings shall be recorded by the coordinator of the committee and the same should be distributed among all the members for necessary remedial action.
4. The committee shall meet as an when necessary.
5. The tenure of the committee shall be one year and thereafter to may again be reconstituted. However, the Management shall have the right to dissolve without giving any notice.
6. The Chairman of the Committee is empowered to recommend the Management for the purchase of any material equipment to the issue related Health, Safety & Environment.

Modus of Working: ----









1. The committee should visit once in a month and may see whether the parameters laid down in the checklist are followed,
2. Each department will make a checklist which may contain unsafe, which need to be checked on regular basis.



3. During next meeting, the status of the Minutes of Meeting shall be reviewed to find out the actual implementation of observations.
4. The committee may also finalize any other matter which is likely to create danger to Environment, Health & Safety matters.
5. Anything required for the proper implementation may be procured by raising a proper Indent & duly approved by the Management

Environment & Safety Committee at M/s Naraingarh Sugar Mill Ltd.

A Safety Committee of the following officers and workers is constituted to look after the safety matters in the sugar mills. The committee will conduct meeting as & when required & discuss safety issues and also resolve the same. The committee shall maintain record of the proceeding of the meeting:-

Sr. No.	Designation	Executive /Members	Signature
1	Chairperson	Unit Head	
2.	Vice Chairman	G.M. Production	
3.	Secretary	Dy.G.M. (Power-Plant)	
4.	Coordinator-Cane	Manager Cane	
5.	Coordinator-Engg	Sr. Engineer (Elect& Safety)	
6.	Coordinator-Lab	Quality Controller	
7.	Member	Manager Civil	
8.	Member	Manager HR & Admin	





9.	Member	Safety officer	<i>[Signature]</i>
10.	Spokesman	Officer Security	<i>[Signature]</i>
11.	Members	Foreman	<i>[Signature]</i>
		Store Keeper	<i>[Signature]</i>
		Head Fitter	<i>[Signature]</i>
		Electrician	<i>[Signature]</i>
		Instrument Mechanic	<i>[Signature]</i>
		Turner	<i>[Signature]</i>
		Cane Dev. Inspector	<i>[Signature]</i>
		Fitter	<i>[Signature]</i>
		Fireman	<i>[Signature]</i>
	Time Keeper	Anshul	



[Signature]

Unit Head



[Signature]



HARYANA STATE POLLUTION CONTROL BOARD

Near the Orion Banquet, Naraingarh Road, Baldev Nagar, Ambala. Email:- hspcbroamb@gmail.com

E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313093923AMBCTO39774161

Dated:14/08/2023

To.

M/s :NARAINGARH SUGAR MILLS LTD
VPO BANONDI TEHSI NARAINGARH

Subject: Grant of consent to operate to M/s NARAINGARH SUGAR MILLS LTD.

Please refer to your application no. 39774161 received on dated 2023-08-08 in regional office Ambala. With reference to your above application for consent to operate, M/s NARAINGARH SUGAR MILLS LTD is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2023 - 30/09/2024
Industry Type	Sugar (excluding Khandsari)
Category	RED
Investment(In Lakh)	24640.219
Total Land Area(Sq. meter)	227000.0
Total Builtup Area(Sq. meter)	35000.0
Quantity of effluent	
1. Trade	550.0 KL/Day
2. Domestic	48.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	For irrigation after treatment
2. Trade	For irrigation after treatment
Domestic Effluent Parameters	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	20 mg/l
4. pH	5.5-9.0
5. Total Nitrogen	10 mg/l
6. Total Phosphorus(For discharge into ponds, lakes)	1 mg/l
7. Faecal Coliform less than 100 MPN/100ml	
Trade Effluent Parameters	
1. BOD	100 mg/l

2. COD	250 mg/l
3. TSS	100 mg/l
4. TDS	2100 mg/l
5. Oil and Grease	10 mg/l
6. pH 5.5-8.5	
Number of stacks	1
Height of stack	
1. Stack	75 Meter
Emission parameters	
1. SPM	50 mg/m ³
Product Details	
1. Sugar	350 Metric Tonnes/day
2. Electricity Per Hour	25 Megawatt
Capacity of boiler	
1. Boiler	130 Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Bagasse	990 Ton/ day
Raw Material Details	
Sugar cane	3500 Metric Tonnes/Day

AJAY
SINGH

Digitally signed by AJAY SINGH
Date: 2023.08.14 10:33:19 +05'30'

Regional Officer, Ambala

Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. Unit will install CPU in compliance of their undertaking submitted vide their letter dated 2.11.2022.
2. Unit will implement the Charter as prescribed for sugar industry.
3. Unit will properly manage the Excess condensate in environmentally friendly manner.
4. Unit will properly implement the rain water harvesting System.
5. Unit will maintain the effluent discharge and emission within prescribed standards.
6. Unit will not by-pass any untreated effluent.
7. Unit will properly manage cooling tower/CT blowdown in environmentally friendly manner.
8. Unit will implement R-3 principle in ground water extraction/withdrawing.
9. Unit will not discharge their process effluent on open land.
10. Unit will maintain the record/logbook for influent and effluent being discharged by it.
11. Unit will not discharge untreated effluent within premises and will not utilize for ash quenching.
12. Unit will not dump PMC in open ground in its premises.

13. The unit shall not start its operation without intimating the Board / RO and unit will ensure sampling of the unit within three months of the commencement of the operations and the further validity of consent so granted shall depend upon the outcome of such inspection and in case analysis reports found exceeding the prescribed limits the CTO so granted shall be deemed revoked .

14. Unit will comply the order/ direction issued by the Hon'ble Supreme Court of India, Punjab & Haryana High Court, NGT, Environment Court or any other court.

15. Unit will apply for renewal of consent to operate before 90 days from the expiry of this CTO.

16. If any information and documents submitted is found to be false/misleading at any stage, CTO will be revoked.

17. Unit will make all compliances of observations raised in report submitted by CPCB team w.r.t inspection conducted on 15/02/2023 and same is conveyed vide Ambala region letter dated 27.7.2022.

18. Unit will deposit the EC if applicable.

AJAY
SINGH
Regional Officer, Ambala

Digitally signed by
AJAY SINGH
Date: 2023.08.14
10:33:39 +05'30'

Haryana State Pollution Control Board.



HARYANA STATE



Haryana State Pollution Control Board
Near the Orion Banquet, Naraingarh Road, Baldev Nagar, Ambala. Email:-
hspcbroamb@gmail.com



No. :HWM/AMB/2023/48008753

DT: 07/11/2023

To

M/s NARAINGARH SUGAR MILLS LTD
VPO BANONDI TEHSI NARAINGARH
Ambala

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundary Movement) Rules, 2016

- Reference of application:48008753 dated: 07/11/2023
- SANDEEP SINGH of NARAINGARH SUGAR MILLS LTD is hereby granted an authorization for generation, collection, storage on the premises situated at VPO BANONDI TEHSI NARAINGARH

HARYANA STATE
Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Through Recycler	0.15 T/Annum
2	Purification and treatment of exhaust air, water and waste water from the treatment plants (CETP's), Oil and grease skimming residues	Through Recycler	0.15 T/Annum

- The authorization shall be valid for a period of 06/10/2023 to 30/09/2024
- The authorization is subject to the following general and specific conditions :-

- (i)
1. That the unit will comply with provisions of Hazardous Waste Rule, 2016.
 2. That the unit will maintain the Hazardous Waste Storage Room & Display Board.
 3. That the unit will dispose off hazardous waste through registered authorized recycler only.
 4. That the unit will comply the order/ direction issued by the Hon'ble Supreme Court of India, Punjab & Haryana High Court, NGT, Environment Court or any other court.
 5. That the unit will apply for renewal of authorization before 90 days from the expiry of this authorization.
 6. That the unit will comply with the all the Rules/ Regulations/ Acts/ Notification issued by CPCB/ HSPCB and MOEF&CC.
 7. In case, any violations found at any stage, then this authorization shall be revoked without giving any show cause notice and action will be initiated as per policy of the Board.
 8. The unit will keep all the parameters within prescribed limits.
 9. Unit will renew its agreement with authorized recycler from time to time.
 10. Unit shall be entitled to deposit outstanding Environment compensation pending of Rs.23,70,000/- in case the redetermination request will not be considered by ECAC committee of the Board.

AJAY
SINGH

Digitally signed by
AJAY SINGH
Date: 2023.11.07
12:47:17 +05'30'

Regional Officer Ambala

For Haryana State Pollution Control Board

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30 th for the period ensuring 31 st March of the year.

AJAY SINGH

Regional Officer Ambala

For Haryana State Pollution Control Board

Mock Drill at NSML Campus

The mock drill is a simulated exercise or practice run that imitates a real-time emergency, preparing the individuals & organization to evaluate the potential weakness, improving the response time and readiness to handle emergency crises during fires, hazardous chemical release, medical emergencies and natural.



Photo-1



Photo-2



Photo-3



Photo-4



Photo-5



Photo-6



Photo-7



Photo-8

NARAINGARH SUGAR MILLS LTD
VILLAGE BANONDI TEH NARAINGARH DISTT. AMBALA
CIN: L74899HR1991PLC032873

MEDICAL EXPENSES
Ledger Account

1-Jul-23 to 31-Dec-23

Page 1

Date	Particulars	Vch Type	Vch No.	Debit	Credit
7-Jul-23	Cr TDS ON LEGAL& PROFESSIONAL	Journal	29	10,000.00	
10-Jul-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	12	2,996.00	
14-Jul-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	18	810.00	
19-Jul-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	25	380.00	
31-Jul-23	Cr SALARY & WAGES PAYABLE	Journal	87	49,435.00	
5-Aug-23	Cr JYOTI KUMAR SINGH	Journal	13	1,089.00	
8-Aug-23	Cr TDS ON LEGAL& PROFESSIONAL	Journal	25	10,000.00	
31-Aug-23	Cr SALARY & WAGES PAYABLE	Journal	100	49,718.00	
5-Sep-23	Cr TDS ON LEGAL& PROFESSIONAL	Journal	14	10,000.00	
6-Sep-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	12	1,867.00	
15-Sep-23	Dr AXIS BANK LTD - 913020056279987 - BANONDI	Receipt	14		52,020.00
28-Sep-23	Cr SAINI MEDICAL STORE NARAINGARH	Journal	86	8,780.00	
30-Sep-23	Cr SALARY & WAGES PAYABLE	Journal	90	50,875.00	
	Cr HOUSE RENT ALLOWANCE	Journal	98	1,167.00	
6-Oct-23	Cr TDS ON LEGAL& PROFESSIONAL	Journal	35	10,000.00	
16-Oct-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	20	842.00	
27-Oct-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	36	1,553.00	
30-Oct-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	40	1,438.00	
31-Oct-23	Cr SALARY & WAGES PAYABLE	Journal	110	51,250.00	
	Cr EPF PAYABLE	Journal	112	1,250.00	
6-Nov-23	Cr TDS ON LEGAL& PROFESSIONAL	Journal	19	10,000.00	
24-Nov-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	50	580.00	
30-Nov-23	Cr SALARY & WAGES PAYABLE	Journal	167	50,667.00	
	Cr RAJVEER D.C.S ENGINEER	Journal	170	792.00	
5-Dec-23	Cr RAJ PAL - MEDICAL	Journal	22	1,250.00	
	Cr TDS ON LEGAL& PROFESSIONAL	Journal	23	10,000.00	
11-Dec-23	Cr VISHAVJEET KAJAL-PURCHASE	Journal	73	2,150.00	
31-Dec-23	Cr SALARY & WAGES PAYABLE	Journal	187	51,452.00	
				3,90,341.00	52,020.00
Dr	Closing Balance				3,38,321.00
				3,90,341.00	3,90,341.00

NARAINGARH SUGAR MILLS LTD
VILLAGE BANONDI TEH NARAINGARH DISTT. AMBALA
CIN: L74899HR1991PLC032873

UNIFORM EXP
Ledger Account

1-Jul-23 to 31-Dec-23

Page 1

Date	Particulars	Vch Type	Vch No.	Debit	Credit
31-Jul-23	Cr SALARY & WAGES PAYABLE	Journal	87	39,548.00	
5-Aug-23	Cr JYOTI KUMAR SINGH	Journal	13	871.00	
31-Aug-23	Cr SALARY & WAGES PAYABLE	Journal	100	39,774.00	
30-Sep-23	Cr SALARY & WAGES PAYABLE	Journal	90	40,700.00	
	Cr HOUSE RENT ALLOWANCE	Journal	98	933.00	
31-Oct-23	Cr SALARY & WAGES PAYABLE	Journal	110	41,000.00	
	Cr EPF PAYABLE	Journal	112	1,000.00	
30-Nov-23	Cr SALARY & WAGES PAYABLE	Journal	167	40,533.00	
	Cr RAJVEER D.C.S ENGINEER	Journal	170	633.00	
31-Dec-23	Cr SALARY & WAGES PAYABLE	Journal	187	41,161.00	
	Cr JAIN FAB CREATIONS PRIVATE LIMITED	Purchase	92	43,485.00	
	Cr JAIN FAB CREATIONS PRIVATE LIMITED	Purchase	93	43,485.00	
				3,33,123.00	
Dr	Closing Balance				3,33,123.00
				3,33,123.00	3,33,123.00

NARAINGARH SUGAR MILLS LTD
VILLAGE BANONDI TEH NARAINGARH DISTT. AMBALA
CIN: L74899HR1991PLC032873

SWACHDHARA ENTERPRISES
Ledger Account

1-Jul-23 to 24-Jan-24

						Page 1
Date	Particulars	Vch Type	Vch No.	Debit		Credit
16-Nov-23	Dr REPAIR & MAINTENANCE- MACHINERY	Journal	87			1,500.00
18-Nov-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	38	1,500.00		
23-Dec-23	Dr REPAIR & MAINTENANCE- MACHINERY	Journal	129			2,924.00
26-Dec-23	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	47	2,924.00		
31-Dec-23	Dr REPAIR & MAINTENANCE- MACHINERY	Journal	168			7,445.00
3-Jan-24	Cr AXIS BANK LTD - 913020056279987 - BANONDI	Payment	8	7,445.00		
				11,869.00		11,869.00

GARBAGE DUMPING YARD AT NSML CAMPUS



The total waste is collected in a shed and disposed as per pollution norms.



The total waste is collected in a shed and disposed as per pollution norms.

Green Belt Development (Some Photograph)



A Photo of planting eucalyptus tree in NSML Campus

NSML has already 2560 Nos of trees grown and well developed in side factory premises.

List Enclosed

In this period we planted some trees details mentioned below:-

1. Eucalyptus	4000 No.
2. Barged	5 Nos
3. Papal	5 Nos
4. Neem	5 Nos
Total Nos of Tree	= 6575 Nos



A Photo of planting eucalyptus tree in NSML Campus

FIRST AID CENTER

(Some Photograph)



A photo of a patient being checked at NSML premises

NSML have maintain a first aid center in which free medicine is given to the patients every day after check-up.

Some photograph enclosed.



A photo of a patient being checked at NSML premises

Mock Drill at NSML Campus

The mock drill is a simulated exercise or practice run that imitates a real-time emergency, preparing the individuals & organization to evaluate the potential weakness, improving the response time and readiness to handle emergency crises during fires, hazardous chemical release, medical emergencies and natural.



Photo-1



Photo-2



Photo-3



Photo-4



Photo-5



Photo-6



Photo-7



Photo-8