NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

Detailed Notice Inviting Tender

Tender is invited for below mentioned Items / Jobs:-

Sr. No	, , , , , , , , , , , , , , , , , , , ,	EMD to be deposited INR.		Expiry Date & Time of Bid Preparation &Submission
1.	Supply of electrical material	5,000/-	05.10.23 at 03:00 PM	16.10.23 UPTO 03:00 PM

Under this process, the Pre-qualification / Technical Application as well as BQQ / Commercial Bid are invited at single stage under two covers i.e. PQQ / Technical & BQQ / Commercial Envelope. Eligibility and qualification of the Applicant will be first examined based on the details submitted under first envelope (PQQ / Technical) with respect to eligibility and qualification criteria prescribed in this Tender document. The BQQ / Commercial bid under the second envelope shall be opened for only those Applicants whose PQQ / Technical Applications are responsive to eligibility and qualifications requirements as per Tender document.

• Earnest Money: The party will deposit the earnest money (mentioned above in table) by RTGS/NEFT before expiry date. The tender will not be accepted without earnest money. EMD will be refunded in case no order has been placed. In case an order has been placed then EMD will be refunded after delivery of material / completion of Jobs.

• Bank details for Earnest Money:

Name: Naraingarh Sugar Mills Ltd. Bank A/c No. 913020056279987

Bank Name: Axis Bank Ltd.

Branch Name: Banaundi BNU HR, Banaundi-134202

IFSC Code: UTIB0002249

Note: The bids shall be submitted in two separate envelopes.

Signature of the party with seal		
Name of the party:		
Address:		
Contact No.		

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

• Envelope 1: PQQ / Technical Bid

Sr. No.	Description	Qty.
1	MCCB 125 A 3Pole , 50kA, Make ABB	01 Nos
2	Cooling fan with motor Supply Voltage 230V 50HZ (For 110 KW Motor, Type M2BAF315SM06, SR. No. 90050347, Make ABB)	01 Nos
3	Power Contactor 3Pole Contact Rating 230A Coil Voltage 230V AC, Type: A145-30, Make : ABB	01 Nos
4	Power Contactor 3Pole Contact Rating 230A Coil Voltage 110V AC, Type: A145-30, Make : ABB	01 Nos
5	Aux. Contactor 3TH 30, Coil voltage 110V, DC, 4 NO contact, Make Siemens	02 Nos
6	Power Contactor 3TF31, 3Pole, coil voltage 230V, 50Hz, with NO Aux Contact, Make Siemens	04 Nos
7	Power Contactor 3TF46, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos
8	Power Contactor 3TF47, 3Pole, coil voltage 110V DC, with 2No + 2NC Aux Contact, Make Siemens	01 Nos
9	Power Contactor 3TF47, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos
10	Power Contactor 3TF48, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos
11	ML6 Contactor Power Kit Make L & T	02Nos
12	TC Make Power Contactor, Coil voltage 230V, 50 Hz, Rating 25A, with 1NO + 1 NC Aux Contact	01 Nos
13	TC Make Power Contactor, Coil voltage 230V, 50 Hz, Rating 9A, with 1NO + 1 NC Aux Contact	01 Nos
14	Overload Relay, Make L & T, Range:	
	45-75A (MN5)	02 Nos.
	6-9A (MK1)	02 Nos.
	9-14A (MK1)	02 Nos.
15	Overload Relay, Make Siemens, Range:	
	25-40 A (3UA58)	02 Nos.
	40-47 A(3UA58)	02 Nos.

16	ABB Make Overload Relay Range: 7.5 - 11 A	02 Nos.
17	TC make Overload Relay Range : 8 - 12 A	02 Nos.
18	Motor Circuit Breaker Rating 10A Type: GV2ME14, Term/MAG 6-10 A Rocker Make: Schneider Electric	02 Nos.
19	1) LED panel Indication Lamp, Aux. 230V,50 Hz Dia 22.5mm, make Teknic/ ABB	
	Color: Red	50 Nos.
	Color: Green	50 Nos.
	Color: Yellow	10 Nos.
	Color: Blue	10 Nos.
20	HRC FUSE Link, Type 3NA, Make Siemens	
	125 A, Size 00	40 Nos.
	200 A, Size 3	12 Nos.
	250 A, Size 1	12 Nos.
21	Proximity Sensor, PNP UDC 6-36 V I 300 mA, Sr. 15mm, Make: Omron, Dia 30 mm,	30 Nos.
22	Timer S/D Make L & T, ET100, Aux. 230V AC Coil Voltage 230V AC, 50Hz	03 Nos
23	ON Delay Timer Range: 0-60 sec/min/hrs Aux. 230V AC, Make: OMRON Din rail type	04 Nos
24	Heavy duty switch disconnector fuse unit , TPN Rating 63Amp. suitable for DIN Fuse-link, Make Siemens	02 Nos
25	Heavy duty switch disconnector fuse unit , TPN Rating 125Amp. suitable for DIN Fuse-link, Make Siemens	02 Nos
26	SFU-ss-enclosure with Heavy duty switch disconnector fuse unit TPN Rating 125Amp. suitable for DIN Fuse-link, Make L&T	02 Nos
28	Heavy duty switch disconnector fuse unit , TPN Rating 250Amp. suitable for DIN Fuse-link, Make Siemens	01 Nos

29	4 Change over relay Contact rating 3A. Coil volyage 230 V 50HZ , With base, Make Schneider/ABB	04Nos.
30	4 Change over relay Contact rating 3A. Coil volyage 24 VDC , With base, Make Schneider/ABB	04Nos.
31	Diode: Model No. 85 HMR , M8 WL Make: Ruttonsha	30 Nos
32	CA5 X-01 (Aux. contact) Make ABB	04Nos.
	CA5-X-10 (Aux. contact) Make ABB	20Nos.
33	Limit Switch, Cat No. NLL1 Make BCH Electric Limited	04Nos.
34	Limit Switch, Cat No. LLGS Make: BCH Electric Limited	04Nos.
35	MCB Schneider/ABB make, 10 kA,	
	63 A, 4 Pole	04 Nos.
	32 A, 4 Pole	04 Nos.
	32 A, 3 Pole	04 Nos.
	16 A, 3 Pole	04 Nos.
	25 A, 2 Pole	06 Nos.
	02 A, 4 Pole	02 Nos.
	10 A, 1Pole	16 Nos.
	06 A, 1 Pole	25 Nos.
	25 A, 1 Pole	15 Nos.
36	2NO+2NC Contact Block (forMNX9Contactor)	6 Nos.
37	ML2 starter (overload ragne 20-32A), make L&T	02Nos
38	MPCB rocker type MOG-S1, Range 0.63-1A, make L&T	02 Nos

- Quality certificate will be attached with every supply. In case of manufacturer, own certificate and in case of supplier, original certificate taken from manufacturer.
- Bid shall be accepted on the basis of above mentioned specifications / make.

The bidders shall submit the required eligibility documents in the PQQ / Technical Bid having following documents.

<u>Information /documents to be attached by the tenderers with the PQQ / Technical Bid where ever is applicable.</u>

- 1) Copy of latest three year purchase / work order of firms / companies for the same type of materials /Jobs.
- 2) Copy of quality certificate from other customers is required for suppliers who have not supplied to us in last 3 years.
- 3) Certificate of authorized dealership of particular material, if party is authorized.
- 4) Certificate from the proprietor/partner/firm authorizing firm's representative to sign/participate in opening and negotiation of the tender (signature duly attested).
- 5) Copy of Sales Tax/GST registration number.
- 6) Copy of PAN Card.
- 7) The information i.e. Firm/Company Name, Complete Address, Contact person, Mobile No. & email ID to be attached.
- 8) EMD or RTGS/NEFT details.

In case of Non-attachment of the above (wherever is applicable) the PQQ bid shall be rejected.

Signature of the party with seal	
Name of the party:	
Address:	
Contact No	

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

• Envelope 2: BQQ / Commercial Bid

The bidders shall quote the prices in BQQ / Commercial bid format under.

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH (BQQ / COMMERCIAL BID TO BE SUBMIT)

Sr.	Description	Qty.	Unit Rates
No.			
1	MCCB 125 A 3Pole , 50kA, Make ABB	01 Nos	
2	Cooling fan with motor Supply Voltage 230V 50HZ (For 110 KW Motor, Type M2BAF315SM06, SR. No. 90050347, Make ABB)	01 Nos	
3	Power Contactor 3Pole Contact Rating 230A Coil Voltage 230V AC, Type: A145-30, Make : ABB	01 Nos	
4	Power Contactor 3Pole Contact Rating 230A Coil Voltage 110V AC, Type: A145-30, Make : ABB	01 Nos	
5	Aux. Contactor 3TH 30, Coil voltage 110V, DC, 4 NO contact, Make Siemens	02 Nos	
6	Power Contactor 3TF31, 3Pole, coil voltage 230V, 50Hz, with NO Aux Contact, Make Siemens	04 Nos	
7	Power Contactor 3TF46, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos	
8	Power Contactor 3TF47, 3Pole, coil voltage 110V DC, with 2No + 2NC Aux Contact, Make Siemens	01 Nos	
9	Power Contactor 3TF47, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos	
10	Power Contactor 3TF48, 3Pole, coil voltage 230V, 50Hz, with 2No + 2NC Aux Contact, Make Siemens	01 Nos	
11	ML6 Contactor Power Kit Make L & T	02Nos	
12	TC Make Power Contactor, Coil voltage 230V, 50 Hz, Rating 25A, with 1NO + 1 NC Aux Contact	01 Nos	
13	TC Make Power Contactor, Coil voltage 230V, 50 Hz, Rating 9A, with 1NO + 1 NC Aux Contact	01 Nos	
14	Overload Relay, Make L & T, Range:		
	45-75A (MN5)	02 Nos.	
	6-9A (MK1)	02 Nos.	
	9-14A (MK1)	02 Nos.	

15	Overload Relay, Make Siemens, Range:		
	25-40 A (3UA58)	02 Nos.	
	40.47.4/211459)	O2 Nos	
	40-47 A(3UA58)	02 Nos.	
16	ABB Make Overload Relay	02 Nos.	
	Range: 7.5 - 11 A		
17	TC make Overload Relay	02 Nos.	
	Range: 8 - 12 A		
18	Motor Circuit Breaker Rating 10A Type: GV2ME14, Term/MAG 6-10 A Rocker	02 Nos.	
	Make: Schneider Electric		
19	1) LED panel Indication Lamp, Aux. 230V,50 Hz Dia 22.5mm, make Teknic/ ABB		
	Color: Red	50 Nos.	
	Color: Green	50 Nos.	
	Color: Yellow	10 Nos.	
	Color: Blue	10 Nos.	
20	HRC FUSE Link, Type 3NA, Make Siemens		
	125 A, Size 00	40 Nos.	
	200 A, Size 3	12 Nos.	
	250 A, Size 1	12 Nos.	
21	Proximity Sensor, PNP	30 Nos.	
	UDC 6-36 V I 300 mA,		
	Sr. 15mm,		
	Make: Omron,		
22	Dia 30 mm,	O2 Nos	
22	Timer S/D Make L & T, ET100, Aux. 230V AC Coil Voltage 230V AC, 50Hz	03 Nos	
23	ON Delay Timer	04 Nos	
	Range: 0-60 sec/min/hrs Aux. 230V AC, Make: OMRON		
	Din rail type		
24	Heavy duty switch disconnector fuse unit , TPN Rating 63Amp.	02 Nos	
	suitable for DIN Fuse-link, Make Siemens		

25	Heavy duty switch disconnector fuse unit , TPN Rating 125Amp.	02 Nos
_ 	suitable for DIN Fuse-link, Make Siemens	
26	SFU-ss-enclosure with Heavy duty switch disconnector fuse unit TPN Rating 125Amp. suitable for DIN Fuse-link, Make L&T	02 Nos
28	Heavy duty switch disconnector fuse unit , TPN Rating 250Amp. suitable for DIN Fuse-link, Make Siemens	01 Nos
29	4 Change over relay Contact rating 3A. Coil volyage 230 V 50HZ , With base, Make Schneider/ABB	04Nos.
30	4 Change over relay Contact rating 3A. Coil volyage 24 VDC , With base, Make Schneider/ABB	04Nos.
31	Diode: Model No. 85 HMR , M8 WL Make: Ruttonsha	30 Nos
32	CA5 X-01 (Aux. contact) Make ABB	04Nos.
	CA5-X-10 (Aux. contact) Make ABB	20Nos.
33	Limit Switch, Cat No. NLL1	04Nos.
	Make BCH Electric Limited	
34	Limit Switch, Cat No. LLGS	04Nos.
	Make: BCH Electric Limited	
35	MCB Schneider/ABB make, 10 kA,	
	63 A, 4 Pole	04 Nos.
	32 A, 4 Pole	04 Nos.
	32 A, 3 Pole	04 Nos.
	16 A, 3 Pole	04 Nos.
	25 A, 2 Pole	06 Nos.
	02 A, 4 Pole	02 Nos.
	10 A, 1Pole	16 Nos.
	06 A, 1 Pole	25 Nos.
	25 A, 1 Pole	15 Nos.
36	2NO+2NC Contact Block (forMNX9Contactor)	6 Nos.
37	ML2 starter (overload ragne 20-32A), make L&T	02Nos
38	MPCB rocker type MOG-S1, Range 0.63-1A, make L&T	02 Nos

Terms & Conditions:-

1)	Payment terms: -	
----	------------------	--

- 2) Price will be FOR Naraingarh Sugar Mills Ltd.
- 3) Packing & forwarding charges: In the scope of supplier / Contractor.
- 4) Delivery of the material will be decided at the time of negotiation.
- 5) SGST/CGST/UGST/IGST will be extra as applicable as per norms (Our GST No. 06AAACN0454G1ZV).
- 6) TDS to be deducted as per GST Rules (if applicable).
- 7) It will be mandatory condition, that no employee/his family member / relative can take participate directly or indirectly in BID.
- 8) Presence of BIDDER by self in case of proprietor/ Partner or Authorised person with authority letter in case of partnership/Co. is necessary at the time of opening of tender is must.
- 9) Liquidated Damages: Time is the essence of this supply material. Hence, you shall strictly adhere to the delivery of material. You are liable to pay liquidated damages towards late delivery of the material at the rate of 2% of the value of the order for subject material for the delay of every one week subject to the maximum limit of 10% of the value of the Purchase Order.
- 10) If at all L-1 party refuses to undertake the job / supply then purchase committee shall have the right to award the order to second lowest party on the finalized rates in the interest of the Mills.
- 11) Board/Management of the Mills shall have the right to negotiate with other participants also if quoted rates of L-1, L-2 & L-3 party do not seem to be reasonable upto the marks in the interest of the Mills.
- 12) Rates are to be quoted on the basis of above said terms & conditions.
- 13) Conditional tender will not be accepted.
- 14) The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason.

Note: Last date for the submission of tenders is 16.10.23 upto 03:00 PM. Only PQQ / Technical bid commercial

will be open by our technical team for discussion. Parties are invited on opening of BQQ / bid on dated 18.10.23 at 11:00 AM.		
5.0 5.1 dated 15.15.25 dt 11.00 / 11.1	•	
Signature of the party with seal	-	
Name of the party:		
Address:		
Contact No		