

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

Detailed Notice Inviting Tender

Tender is invited for below mentioned items / jobs:-

Sr. No.	Description of items / jobs	EMD to be deposited INR.	Start Date & Time of Bid Preparation & Submission	Expiry Date & Time of Bid Preparation & Submission
1.	Supply of electrical general & safety material	7,000/-	14.08.26 at 03:00 PM	25.08.26 upto 11:00 AM

Under this process, the Pre-qualification / Technical bid Application as well as Commercial Bid are invited at single stage under two covers i.e. Pre-qualification / Technical & Commercial Envelope. Eligibility and qualification of the Applicant will be first examined based on the details submitted under first envelope (Pre-qualification / Technical) with respect to eligibility and qualification criteria prescribed in this Tender document. The Commercial bid under the second envelope shall be opened for only those Applicants whose Pre-qualification / Technical bid Applications are responsive to eligibility and qualifications requirements as per Tender document.

- **Earnest Money:** The party will deposit the earnest money (mentioned above in table) by RTGS/NEFT before expiry date. The tender will not be accepted without earnest money.
- **Bank details for Earnest Money:**
Name: Naraingarh Sugar Mills Ltd.
Bank A/c No. 913020056279987
Bank Name: Axis Bank Ltd.
Branch Name: Banaundi BNU HR, Banaundi-134202
IFSC Code: UTIB0002249

Note: The bids shall be submitted in two separate envelopes.

Signature of the party with seal

Name of the party: _____

Address: _____

Contact No. _____

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH

• Envelope 1: Pre-Qualification / Technical Bid

Sr. No.	Description of Goods/Service	Quantity to be ordered
1	HRC FUSE Link, Type 3NA, Make Siemens	
a.	32 A, (3NA1)	20 Nos.
b.	80 A, Size 000	20 Nos.
c.	100 A, Size 00	20 Nos.
d.	125 A, Size 00	40 Nos.
e.	250 A, Size 1	26Nos.
2	HRC FUSE Link, Type TIA, Make Siemens	
a.	25 A,	20 Nos.
b.	100 A,	20 Nos.
c.	125 A,	01 No.
d.	63 A,	20 Nos.
3	HRC FUSE Link, Type NS, Make Siemens	
a.	6 A	12 Nos.
b.	16 A	16Nos.
4	HRC FUSE Link, Type HF, Make Siemens 63 A	08 Nos.
5	a) Kit-Kat SM Type (Fuse Holder), 125A	06Nos.
	b) Kit-Kat SM Type (Fuse Holder), 63A	06 Nos.
6	Aux. Contact for (ABB Make Contactor A185-30) Type CAL18-11, 1No+1NC, Make ABB	06 Nos.
7	3TX4010-2A-1NO (Aux. contact), Make Siemens	30 Nos
8	CA5-40E (Aux. contact) Make ABB	06Nos.
9	CA5-22E (Aux. contact) Make ABB	05Nos.
10	Analog CT Operated meter Size 96x96 mm AE make	
a.	400/5	04 Nos.
b.	150/5	04 Nos.
c.	100/5	04 Nos.
d.	250/5	03 Nos.
e.	30/5	04 Nos
11	Battery 1216 6F22, 9 volt (heavy duty leakproof) Make: Eveready	36 Nos
12	Battery 912 R03, 1.5V (Leakproof) Make: Eveready	12 Nos
13	Battery AA (R65) 1.5V (Leakproof) Make: Eveready	36 Nos
14	Digital multimeter make meco 9A06	01 No
15	Digital clamp meter AC and DC range 1000A or above, make meco	01 No
16	LED panel Indication Lamp, Aux. 230V,50 Hz Dia 22.5mm, make Teknic/ ABB	
a.	Color: Red	42 Nos.
b.	Color: Yellow	41 Nos.
c.	Color: Blue	09 Nos.
d.	Color: White	24 Nos.
17	PVC Industrial Push Button Station 2 way, with start & stop push button & elements	11 Nos

18	Industrial PVC Board with 5 Switch 5A & 3 Socket 5 Pin 5A. Complete Close box	10 Nos.
19	Industrial PVC Board with 1 Switch 15 A & 1 Socket 5 Pin 15A. Complete Close box	10 Nos.
20	a) Flash type (Screw mounted) 5A Socket 5 Pin	20 Nos.
	b) Flash type (Screw mounted) 5A Switch	20 Nos.
	c) Flash type (Screw mounted) 15A Socket 5 Pin	24 Nos.
	d) Flash type (Screw mounted) 15A Switch	24 Nos.
	e) Modular type 5A Socket 5 Pin	20 Nos.
	f) Modular type) 5A Switch	20 Nos.
	g) Modular type) 15A Socket 5 Pin	10 Nos.
	h) Modular type 15A Switch	13 Nos
	i) 15A Top 3 Pin	18 Nos
	j) 5A Top 3 Pin	24 Nos
	k) Electronic Fan Regulator (Screw mounted)	10 Nos
21	63Amp. Industrial plug & socket board metallic with RCCB 3 phase 4 wire rating 63Amp 30mA 4pole, MCB 4P 63A 10KA, RCCB & MCB, Make Schneider / ABB	2 Nos
22	32/20 Amp. Industrial plug & socket board metallic with RCCB single phase rating 20 Amp 30mA 2pole, MCB 20A 2Pole 10KA, RCCB & MCB, Make Schneider / ABB	2 Nos
23	Pin Type Panel Lock, SS Dia 22 mm	13 Nos.
24	Selector switch (Lockable with key) 5way 2 pole with off, model 16A-S16-61082-B63-TDYR, make salzer	01 Nos
25	Selector switch (Lockable with key) 3 Pole, 4Way, Without off, model S16-61090-B63, make salzer	01 Nos
26	Selector switch (Lockable with key) 2 Pole, ON/OFF, model 16A-S16-61198-B63-TDYR, make salzer	01 Nos
27	Selector switch 2way Dia 22.5mm, make Teknic	06 Nos.
28	a) Selector Switch 2 Pole 2 way with OFF Rating 06A, Make kaycee	01 No.
	b) Selector Switch 2 Pole 2 way, with OFF Rating 16A, Make kaycee	02 Nos.
29	Pull Cord Switch contact 2NO+2NC, manual reset to resume operations, rating 10A at 230VAC, Type SPS 302NTL, Make Sai Control System	02 Nos
30	Toggle switch 6A 2 way	4 Nos
31	Pressure switch, (application oil) Max. temp. 90deg C, Pressure Range 0-7.5 Bar Diff pressure 0.7-4 Bar, Model KP35, Make danfuss	01 No
32	Pressure switch, (application oil) Max. temp. 90deg C, Pressure Range 0-7 Kg/CM2 Diff pressure 0.6-6KG/CM2, Model IPS100, Make indfos	01 No
33	Flow control switch, (application water) Max temp. 100deg C, Pressure 10bar, Model WFS-25B, Make castle	03 Nos
34	Electronic hooter Size 96X 96mm, Aux 230V AC	01No
35	Electronic hooter Size 96X 96mm, Aux 110V DC	01No
36	MCB Metal Box 2 Way industrial type	08Nos
37	MCB Plastic Box 4 Way industrial type	02Nos
38	Control Transformer copper winding 415V/230V ,50HZ 2KVA	01No.
39	150Watt, 300 Ohm Adjustable Resistor Rheostat, for (Tyco controller Type T5, Voltage 240, 50HZ, Make Tyco India Pvt. Ltd.)	2Nos.

40	Panel cooling fan Size 6 inch 230V 50HZ, Make any standard	02Nos
41	Panel cooling fan Size 10 inch 230V 50HZ, Make any standard	02Nos
42	Panel cooling fan Sweep 250mm. 230V 50HZ, RPM 2600, 85watt, Model No. FA223/2528/H ,Make V B M Enterprises	06Nos
43	Copper winding Pedestal Fan Big size (24 Inch) Supply voltage 230V AC 50HZ	2 Nos.
44	Proximity Sensor, PNP UDC 6-36 V I 300 mA, Sr. 15mm, Make: Omron, Dia 30 mm,	17 Nos.
45	Limit Switch, Cat No. NLL1 Make BCH Electric Limited	04Nos.
46	Limit Switch, Cat No. LLGS Make: BCH Electric Limited	03Nos.
47	Terminal Strip 12way, rating 16Amp.	02Nos.
48	Nylon Rope 8 mm	17Kg
49	Aluminium self support extension ladder heavy duty length 40 feet lump-sum, loading capacity 150 KG	01 No
50	Hole Saw set (Metal Cutter), 11PCS (16mm to 72mm Lump-sum)	01 Set
51	SS Nut, Bolt and Washer Set, Size:	
a.	8mm X 75mm(length lump-Sum)	30 Nos
b.	10mm X 100mm (length lump-Sum)	100 Nos
c.	10mm X 125mm (length lump-Sum)	135Nos
52	Painting Brush Size:	
a.	1 Inch	06 Nos
b.	2 Inch	08 Nos
53	Scotch-Brite Scrub Pad Large	36 Nos
54	Air Blower GBL 620 3 601 J80 5F0 230V 50HZ 3A 620W, Make bosch	01No
55	M.S. Plated Screw full thread , 4mm x 10mm Long with nut and washer	200 Nos
56	M.S. Nut Bolt Half thread , 4mm x 60mm Long with nut and washer	24 Nos
57	M.S. Nut Bolt Half thread , 5mm x 60mm Long with nut and washer	24 Nos
58	M.S. Nut Bolt Half thread , 6mm x 60mm Long with nut and washer	24 Nos
59	Allen bolt M6 X 60mm.	24 nos
60	Allen bolt M8 X 60mm.	24 nos
61	HSS drill bit 3.3mm	03 Nos
62	HSS tap 4mm	03 Nos
63	Concrete drill bit 4 mm	02 Nos
64	Concrete drill bit 5 mm	02 Nos
65	Concrete drill bit 6 mm	02 Nos
66	Concrete drill bit 8 mm	02 Nos
67	Rotary Handle for (MPCB , Type 3RV2111-1FA10, Make Siemens)	10Nos.
68	Rotary Handle for (MCCB , Type 3VL3725-1AA36-0AA0, Make Siemens)	06Nos.
69	Rotary Handle for (MCCB , Type 3VL1702-1DD3-0AA0, Make Siemens)	06Nos.
70	Rotary Handle for (MPCB , Type 3RV1142-4LA10 Make Siemens)	02Nos.
71	Zinc Alloy Three Point Panel Lock (As per sample)	06 Nos
72	High Power Rechargeable 15W Torch, Make Any standard	01No
73	Heat Sink Compound (for fills microscopic air gaps between electronic components) 20GM/PKD)	02 pkd.

74	Laser Infrared Non-Contact Digital Temperature Gun, Range -50C to 400C, Make Any standard	01No
75	Din rail MCB Channel	2Meter
76	Capacitor 2.5 mfd Make Bajaj/Havells	7 Nos
77	Capacitor 4 mfd Make Bajaj/Havells	05 Nos
78	Capacitor 10 mfd Make Bajaj/Havells	10 Nos
79	Cooler water pump with motor, Supply voltage 230V AC. 50HZ	12 Nos
80	Motor DE Flange (cover) for (Kirloskar Electric Co. Ltd. Make motor, KW: 5.5, RPM: 1440, Frame: BPM132MV)	01No.
81	Connection Plate for Motor	
a.	20HP (6 Terminal)	04 Nos.
b.	20HP (3 Terminal)	06 Nos.
c.	100HP	01 No.
d.	250HP	01 No.
82	Analog insulation tester, 500V DC, 1000 MΩ. Make MECO, Battery Operated	01No
83	Room Heater 230V, 50HZ, 1000W, Make Bajaj, philips, Havells	07 Nos
84	Room Heater Rod 230V, 50HZ, 500W, Make Bajaj, philips, Havells	24 Nos
85	AC service water pressure pump, Suplly voltage 230V AC, 50HZ, Single phase	01 No
86	Glass Fuse 6Amp.	50 Nos
87	Motor Cooling Fan (PVC Fan)	
a.	10 HP (ID 40mm, OD 295mm)	03 Nos.
b.	3 HP (ID 30mm, OD 127mm)	06 Nos.
c.	5 HP (ID 25mm, OD 190mm)	03 Nos.
d.	15 HP (ID 45mm, OD 220mm)	03 Nos.
e.	5 HP (ID 22mm, OD 149mm)	03 Nos.
f.	3 HP (ID 25mm, OD 165mm)	06 Nos.
g.	3 HP (ID 29 mm, OD 165mm)	02 Nos.
h.	10 HP (ID 32 mm, OD 257mm)	02 Nos.
i.	15 HP (ID 40 mm, OD 340mm)	02 Nos.
j.	25 HP (ID 56 mm, OD 328mm)	02 Nos.
k.	40 HP (ID 60 mm, OD 303mm)	02 Nos.
l.	5 HP (ID 28 mm, OD 182mm)	02 Nos.
m.	7.5 HP (ID 38 mm, OD 200mm)	02 Nos.
n.	30 HP (ID 48 mm, OD 275mm)	02 Nos.
o.	25 HP (ID 38 mm, OD 275mm)	02 Nos.
p.	25 HP (ID 43 mm, OD 230mm)	02 Nos.
q.	25 HP (ID 43 mm, OD 198mm)	02 Nos.
r.	20 HP (ID 49 mm, OD 225mm)	02 Nos.
s.	25 HP (ID 45 mm, OD 200mm)	02 Nos.
t.	15 HP (ID38 mm, OD 235mm)	02 Nos.
u.	15 HP (ID 42 mm, OD 235mm)	02 Nos.
88	Combination plier, make taparia	08Nos
89	Line tester, make taparia	22 Nos
90	Insulated screwdriver 12 Inch flat and star head make taparia	09 Nos
91	Insulated screwdriver 8 Inch flat and star head make taparia	09 Nos
92	Circlip plier inner big size, make taparia	01 No
93	Circlip plier outer, big size, make taparia	01 No

94	Electrical hand gloves for 11kv Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	02 Set
95	Electrical hand gloves for 66kv Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	01 Set
96	Electrical hand gloves for 440V Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	03 Set
97	Danger board for 11kV hindi and english language any standard make, Size 200mmX200mm	12 Nos
98	Danger board for 66kV hindi and english language any standard make, Size 200mmX200mm	12 Nos
99	Danger board for 440V hindi and english language any standard make, Size 100mmX100mm	12 Nos
100	Electric Shock & It's Treatment Chart board (50 x 70 cm) hindi and english language any standard make.	12 Nos
101	PVC long Safety Shoes for Electrical (any standard make ISI mark)	07 Set
102	Face Shield for electrical safety (any standard make)	04 Nos
103	Electrical safety kit (any standard make ISI mark)	01 Nos
104	Aluminum Yellow and Black Men At Work Sign Board, Thickness: 3 mm, Shape: Rectangle for electrical, language hindi and english, any standard make, Size 200mm X 200mm	12 Nos
105	Automatic Voltage Regulating Relay (EE-301E) Model No: 301E , Power Supply: 95-260V AC/DC PT Input: 110V AC, Make Emco Electronic	01No.

- **Bid shall be accepted on the basis of above mentioned specifications.**

The bidders shall submit the required eligibility documents in the Pre-qualification / Technical Bid having following documents.

Information /documents to be attached by the tenderers with the Pre-qualification / Technical Bid where ever is applicable.

- 1) Copy of latest three year purchase / work order of firms / companies for the same type of materials /Jobs.
- 2) Certificate of authorized dealership of particular material, if party is authorized.
(For supplier only)
- 3) Certificate from the proprietor/partner/firm authorizing firm's representative to sign/participate in opening and negotiation of the tender (signature duly attested).
- 4) Copy of Sales Tax/GST registration number.
- 5) Copy of PAN Card.
- 6) The information i.e. Firm/Company Name, Complete Address, Contact person, Mobile No. & e-mail ID to be attached.
- 7) EMD or RTGS/NEFT details.

In case of Non-attachment of the above (wherever is applicable) this bid shall be rejected.

Declaration:-

We declare that we have put up the commercial bid as per format & no change in conditions has been mentioned, the conditions mentioned there in are acceptable to us.

☐

Please tick

Signature of the party with seal

Name of the party: _____

Address: _____

Contact No. _____

NARAINGARH SUGAR MILLS LTD., SHAHZADPUR, TEH. NARAINGARH**• Envelope 2: Commercial Bid**

The bidders shall quote the prices in Commercial bid format under
(COMMERCIAL BID TO BE SUBMIT)

Sr. No.	Description of Goods/Service	Qty.	Unit Rates INR.
1	HRC FUSE Link, Type 3NA, Make Siemens		
f.	32 A, (3NA1)	20 Nos.	
g.	80 A, Size 000	20 Nos.	
h.	100 A, Size 00	20 Nos.	
i.	125 A, Size 00	40 Nos.	
j.	250 A, Size 1	26Nos.	
2	HRC FUSE Link, Type TIA, Make Siemens		
e.	25 A,	20 Nos.	
f.	100 A,	20 Nos.	
g.	125 A,	01 No.	
h.	63 A,	20 Nos.	
3	HRC FUSE Link, Type NS, Make Siemens		
c.	6 A	12 Nos.	
d.	16 A	16Nos.	
4	HRC FUSE Link, Type HF, Make Siemens 63 A	08 Nos.	
5	a) Kit-Kat SM Type (Fuse Holder), 125A	06Nos.	
	b) Kit-Kat SM Type (Fuse Holder), 63A	06 Nos.	
6	Aux. Contact for (ABB Make Contactor A185-30) Type CAL18-11, 1No+1NC, Make ABB	06 Nos.	
7	3TX4010-2A-1NO (Aux. contact), Make Siemens	30 Nos	

8	CA5-40E (Aux. contact) Make ABB	06Nos.	
9	CA5-22E (Aux. contact) Make ABB	05Nos.	
10	Analog CT Operated meter Size 96x96 mm AE make		
f.	400/5	04 Nos.	
g.	150/5	04 Nos.	
h.	100/5	04 Nos.	
i.	250/5	03 Nos.	
j.	30/5	04 Nos	
11	Battery 1216 6F22, 9 volt (heavy duty leakproof) Make: Eveready	36 Nos	
12	Battery 912 R03, 1.5V (Leakproof) Make: Eveready	12 Nos	
13	Battery AA (R65) 1.5V (Leakproof) Make: Eveready	36 Nos	
14	Digital multimeter make meco 9A06	01 No	
15	Digital clamp meter AC and DC range 1000A or above, make meco	01 No	
16	LED panel Indication Lamp, Aux. 230V,50 Hz Dia 22.5mm, make Teknic/ ABB		
e.	Color: Red	42 Nos.	
f.	Color: Yellow	41 Nos.	
g.	Color: Blue	09 Nos.	
h.	Color: White	24 Nos.	
17	PVC Industrial Push Button Station 2 way, with start & stop push button & elements	11 Nos	
18	Industrial PVC Board with 5 Switch 5A & 3 Socket 5 Pin 5A. Complete Close box	10 Nos.	
19	Industrial PVC Board with 1 Switch 15 A & 1 Socket 5 Pin 15A. Complete Close box	10 Nos.	
20	a) Flash type (Screw mounted) 5A Socket 5 Pin	20 Nos.	
	b) Flash type (Screw mounted) 5A Switch	20 Nos.	

	c) Flash type (Screw mounted) 15A Socket 5 Pin	24 Nos.	
	d) Flash type(Screw mounted) 15A Switch	24 Nos.	
	e) Modular type 5A Socket 5 Pin	20 Nos.	
	f) Modular type) 5A Switch	20 Nos.	
	g) Modular type) 15A Socket 5 Pin	10 Nos.	
	h) Modular type 15A Switch	13Nos	
	i) 15A Top 3 Pin	18 Nos	
	j) 5A Top 3 Pin	24 Nos	
	k) Electronic Fan Regulator (Screw mounted)	10 Nos	
21	63Amp. Industrial plug & socket board metallic with RCCB 3 phase 4 wire rating 63Amp 30mA 4pole, MCB 4P 63A 10KA, RCCB & MCB , Make Schneider / ABB	2 Nos	
22	32/20 Amp. Industrial plug & socket board metallic with RCCB single phase rating 20 Amp 30mA 2pole, MCB 20A 2Pole 10KA, RCCB & MCB, Make Schneider / ABB	2 Nos	
23	Pin Type Panel Lock, SS Dia 22 mm	13 Nos.	
24	Selector switch (Lockable with key) 5way 2 pole with off, model 16A-S16-61082-B63-TDYR, make salzer	01 Nos	
25	Selector switch (Lockable with key) 3 Pole, 4Way, Without off, model S16-61090-B63, make salzer	01 Nos	
26	Selector switch (Lockable with key) 2 Pole, ON/OFF, model 16A-S16-61198-B63-TDYR, make salzer	01 Nos	
27	Selector switch 2way Dia 22.5mm, make Teknic	06 Nos.	
28	a) Selector Switch 2 Pole 2 way with OFF Rating 06A, Make kaycee	01 No.	
	b) Selector Switch 2 Pole 2 way, with OFF Rating 16A, Make kaycee	02 Nos.	
29	Pull Cord Switch contact 2NO+2NC, manual reset to resume operations, rating 10A at 230VAC, Type SPS 302NTL, Make Sai Control System	02 Nos	
30	Toggle switch 6A 2 way	4 Nos	
31	Pressure switch, (application oil) Max. temp. 90deg C, Pressure Range 0-7.5 Bar Diff pressure 0.7-4 Bar, Model KP35, Make danfuss	01 No	

32	Pressure switch, (application oil) Max. temp. 90deg C, Pressure Range 0-7 Kg/CM2 Diff pressure 0.6-6KG/CM2, Model IPS100, Make indfos	01 No	
33	Flow control switch, (application water) Max temp. 100deg C, Pressure 10bar, Model WFS-25B, Make castle	03 Nos	
34	Electronic hooter Size 96X 96mm, Aux 230V AC	01No	
35	Electronic hooter Size 96X 96mm, Aux 110V DC	01No	
36	MCB Metal Box 2 Way industrial type	08Nos	
37	MCB Plastic Box 4 Way industrial type	02Nos	
38	Control Transformer copper winding 415V/230V ,50HZ 2KVA	01No.	
39	150Watt, 300 Ohm Adjustable Resistor Rheostat, for (Tyco controller Type T5, Voltage 240, 50HZ, Make Tyco India Pvt. Ltd.)	2Nos.	
40	Panel cooling fan Size 6 inch 230V 50HZ, Make any standard	02Nos	
41	Panel cooling fan Size 10 inch 230V 50HZ, Make any standard	02Nos	
42	Panel cooling fan Sweep 250mm. 230V 50HZ, RPM 2600, 85watt, Model No. FA223/2528/H ,Make V B M Enterprises	06Nos	
43	Copper winding Pedestal Fan Big size (24 Inch) Supply voltage 230V AC 50HZ	2 Nos.	
44	Proximity Sensor, PNP UDC 6-36 V I 300 mA, Sr. 15mm, Make: Omron, Dia 30 mm,	17 Nos.	
45	Limit Switch, Cat No. NLL1 Make BCH Electric Limited	04Nos.	
46	Limit Switch, Cat No. LLGS Make: BCH Electric Limited	03Nos.	
47	Terminal Strip 12way, rating 16Amp.	02Nos.	
48	Nylon Rope 8 mm	17Kg	
49	Aluminium self support extension ladder heavy duty length 40 feet lump-sum, loading capacity 150 KG	01 No	
50	Hole Saw set (Metal Cutter), 11PCS (16mm to 72mm Lump-sum)	01 Set	
51	SS Nut, Bolt and Washer Set, Size:		
d.	8mm X 75mm(length lump-Sum)	30 Nos	

e.	10mm X 100mm (length lump-Sum)	100 Nos	
f.	10mm X 125mm (length lump-Sum)	135Nos	
52	Painting Brush Size:		
c.	1 Inch	06 Nos	
d.	2 Inch	08 Nos	
53	Scotch-Brite Scrub Pad Large	36 Nos	
54	Air Blower GBL 620 3 601 J80 5F0 230V 50HZ 3A 620W, Make bosch	01No	
55	M.S. Plated Screw full thread , 4mm x 10mm Long with nut and washer	200 Nos	
56	M.S. Nut Bolt Half thread , 4mm x 60mm Long with nut and washer	24 Nos	
57	M.S. Nut Bolt Half thread , 5mm x 60mm Long with nut and washer	24 Nos	
58	M.S. Nut Bolt Half thread , 6mm x 60mm Long with nut and washer	24 Nos	
59	Allen bolt M6 X 60mm.	24 nos	
60	Allen bolt M8 X 60mm.	24 nos	
61	HSS drill bit 3.3mm	03 Nos	
62	HSS tap 4mm	03 Nos	
63	Concrete drill bit 4 mm	02 Nos	
64	Concrete drill bit 5 mm	02 Nos	
65	Concrete drill bit 6 mm	02 Nos	
66	Concrete drill bit 8 mm	02 Nos	
67	Rotary Handle for (MPCB , Type 3RV2111-1FA10, Make Siemens)	10Nos.	
68	Rotary Handle for (MCCB , Type 3VL3725-1AA36-0AA0, Make Siemens)	06Nos.	
69	Rotary Handle for (MCCB , Type 3VL1702-1DD3-0AA0, Make Siemens)	06Nos.	

70	Rotary Handle for (MPCB , Type 3RV1142-4LA10 Make Siemens)	02Nos.	
71	Zinc Alloy Three Point Panel Lock (As per sample)	06 Nos	
72	High Power Rechargeable 15W Torch, Make Any standard	01No	
73	Heat Sink Compound (for fills microscopic air gaps between electronic components) 20GM/PKD)	02 pkd.	
74	Laser Infrared Non-Contact Digital Temperature Gun, Range -50C to 400C, Make Any standard	01No	
75	Din rail MCB Channel	2Meter	
76	Capacitor 2.5 mfd Make Bajaj/Havells	7 Nos	
77	Capacitor 4 mfd Make Bajaj/Havells	05 Nos	
78	Capacitor 10 mfd Make Bajaj/Havells	10 Nos	
79	Cooler water pump with motor, Supply voltage 230V AC. 50HZ	12 Nos	
80	Motor DE Flange (cover) for (Kirloskar Electric Co. Ltd. Make motor, KW: 5.5, RPM: 1440, Frame: BPM132MV)	01No.	
81	Connection Plate for Motor		
e.	20HP (6 Terminal)	04 Nos.	
f.	20HP (3 Terminal)	06 Nos.	
g.	100HP	01 No.	
h.	250HP	01 No.	
82	Analog insulation tester, 500V DC, 1000 MΩ. Make MECO, Battery Operated	01No	
83	Room Heater 230V, 50HZ, 1000W, Make Bajaj, philips, Havells	07 Nos	
84	Room Heater Rod 230V, 50HZ, 500W, Make Bajaj, philips, Havells	24 Nos	
85	AC service water pressure pump, Suplly voltage 230V AC, 50HZ, Single phase	01 No	
86	Glass Fuse 6Amp.	50 Nos	
87	Motor Cooling Fan (PVC Fan)		

v.	10 HP (ID 40mm, OD 295mm)	03 Nos.	
w.	3 HP (ID 30mm, OD 127mm)	06 Nos.	
x.	5 HP (ID 25mm, OD 190mm)	03 Nos.	
y.	15 HP (ID 45mm, OD 220mm)	03 Nos.	
z.	5 HP (ID 22mm, OD 149mm)	03 Nos.	
aa.	3 HP (ID 25mm, OD 165mm)	06 Nos.	
bb.	3 HP (ID 29 mm, OD 165mm)	02 Nos.	
cc.	10 HP (ID 32 mm, OD 257mm)	02 Nos.	
dd.	15 HP (ID 40 mm, OD 340mm)	02 Nos.	
ee.	25 HP (ID 56 mm, OD 328mm)	02 Nos.	
ff.	40 HP (ID 60 mm, OD 303mm)	02 Nos.	
gg.	5 HP (ID 28 mm, OD 182mm)	02 Nos.	
hh.	7.5 HP (ID 38 mm, OD 200mm)	02 Nos.	
ii.	30 HP (ID 48 mm, OD 275mm)	02 Nos.	
jj.	25 HP (ID 38 mm, OD 275mm)	02 Nos.	
kk.	25 HP (ID 43 mm, OD 230mm)	02 Nos.	
ll.	25 HP (ID 43 mm, OD 198mm)	02 Nos.	
mm.	20 HP (ID 49 mm, OD 225mm)	02 Nos.	
nn.	25 HP (ID 45 mm, OD 200mm)	02 Nos.	
oo.	15 HP (ID 38 mm, OD 235mm)	02 Nos.	
pp.	15 HP (ID 42 mm, OD 235mm)	02 Nos.	
88	Combination plier, make taparia	08Nos	
89	Line tester, make taparia	22 Nos	

90	Insulated screwdriver 12 Inch flat and star head make taparia	09 Nos	
91	Insulated screwdriver 8 Inch flat and star head make taparia	09 Nos	
92	Circlip plier inner big size, make taparia	01 No	
93	Circlip plier outer, big size, make taparia	01 No	
94	Electrical hand gloves for 11kv Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	02 Set	
95	Electrical hand gloves for 66kv Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	01 Set	
96	Electrical hand gloves for 440V Flame Retardant & Non-Slip Grip for Electrical Work , Material Rubber	03 Set	
97	Danger board for 11kV hindi and english language any standard make, Size 200mmX200mm	12 Nos	
98	Danger board for 66kV hindi and english language any standard make, Size 200mmX200mm	12 Nos	
99	Danger board for 440V hindi and english language any standard make, Size 100mmX100mm	12 Nos	
100	Electric Shock & It's Treatment Chart board (50 x 70 cm) hindi and english language any standard make.	12 Nos	
101	PVC long Safety Shoes for Electrical (any standard make ISI mark)	07 Set	
102	Face Shield for electrical safety (any standard make)	04 Nos	
103	Electrical safety kit (any standard make ISI mark)	01 Nos	
104	Aluminum Yellow and Black Men At Work Sign Board, Thickness: 3 mm, Shape: Rectangle for electrical, language hindi and english, any standard make, Size 200mm X 200mm	12 Nos	
105	Automatic Voltage Regulating Relay (EE-301E) Model No: 301E , Power Supply: 95-260V AC/DC PT Input: 110V AC, Make Emco Electronic	01No.	

Delivery / work: within 05.09.26

Terms & Conditions:-

- 1) Payment terms:-
 - a) For material supply: 30 days after receipt of material subjected to quality approved.
 - b) For job work: 30 days after submission of verified bills subjected to satisfactory completion of work.
- 2) Price will be FOR Naraingarh Sugar Mills Ltd.
- 3) Packing & forwarding charges: - In the scope of supplier / Contractor.

- 4) **The dates of material delivery / job work are given above.**
- 5) SGST/CGST/UGST/IGST will be extra as applicable as per norms
(Our GST No.06AAACN0454G1ZV).
- 6) TDS to be deducted as per GST Rules (if applicable).
- 7) It will be mandatory condition, that no employee/his family member / relative can take participate directly or indirectly in BID.
- 8) Presence of BIDDER by self in case of proprietor/ Partner or Authorized person with authority letter in case of partnership/Co. is necessary at the time of opening of tender is must.
- 9) **Liquidated Damages:** Time is the essence of this supply / job. Hence, you shall strictly adhere to the delivery of material / completion of job. You are liable to pay liquidated damages towards late delivery of the material / late completion of job at the rate of 2% of the value of the order for subject supply / job for the delay of every one week subject to the maximum limit of 10% of the value of the Order.
- 10) If at all L-1 party refuses to undertake the job, then purchase committee shall have the right to award the order to second lowest party on the finalized rates in the interest of the Mills.
- 11) Board/Management of the Mills shall have the right to negotiate with other participants also if quoted rates of L-1, L-2 & L-3 party do not seem to be reasonable upto the marks in the interest of the Mills.
- 12) Rates are to be quoted on the basis of above said terms & conditions.
- 13) Conditional tender will not be accepted.
- 14) The undersigned reserves the right to accept or reject any or all the tenders without assigning any reason.

Note: Only Pre-qualification / Technical bid will be open by our technical team for discussion.
Parties are invited on opening of commercial bid on dated 26.08.26 at 11:00 AM.

Signature of the party with seal

Name of the party: _____

Address: _____

Contact No. _____